

BIDDING DOCUMENTS

CAPITOL COMPOUND, REPAIR/IMPROVEMENT OF PROVINCIAL REPORTING CENTER One Job Order for the

all in accordance to plans, specifications and scope of work and the Green Procurement Policy as adopted by Executive Order No. 30 series of 2019

TB No. C-143-23

Start Date for Issuance of Bidding Documents: September 16, 2023 Date of Opening of Bids: October 10, 2023 at 09:00 A.M.

Sixth Edition July 2020

TABLE OF CONTENTS

INVITATION TO BID

SECTION II. **INSTRUCTIONS TO BIDDERS**

SECTION III.

SECTION IN GENERAL CONDITIONS OF CONTRACT

SECTION V. SPECIAL CONDITIONS OF CONTRACT

SECTION SI SPECIFICATIONS

SECTION VII. DRAWINGS

SECTON VIII. BILL OF QUANTITIES

SECTION IX. DOCUMENTS

SECTION X. OTHER DOCUMENTS

SECTION I.

 \mathcal{I}

Section II. Instructions to Bidders

1. Scope of Bid

DEL SUR, with Project Identification Number C-143-23. CENTER located at CAPITOL COMPOUND, MATTI, DIGOS CITY, DAVAO REPAIR / IMPROVEMENT OF PROVINCIAL REHABILITATION

COMPOUND, MATTI, DIGOS CITY, DAVAO DEL SUR") is for the construction of PROVINCIAL Works, as described in Section VI (Specifications). Procurement Project (referred REHABILITATION to herein as CEVIER "REPAIR / IMPROVEMENT OF located <u>m</u> CAPITOL

2. Funding Information

- 2.1. of P2,000,000.00. The GOP through the source of funding as indicated below for CY 2023 in the amount
- 2.2. The source of funding is 20% DEV'T FUND:

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manual and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

supplemental or bid bulletin. ongoing posting, advertisement, or invitation to bid by the BAC Any amendments made to the IRR and other GPPB issuances shall be applicable only to the through the issuance of a

instructions, forms, terms, and project requirements in the Bidding Documents. labor, water, electric power and access roads; and (d) other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all facilities; (c) nature and condition of the terrain, geological conditions at the site communication such as The Bidder, by the act of submitting its Bid, shall be deemed to have inspected the site, determined the general characteristics of the contracted Works and the conditions for this Project, facilities, requirements, location and availability of construction aggregates and other materials, the location and the nature of the work; (b) climatic conditions; (c) transportation

• Corrupt, Fraudulent, Collusive, Coercive, and Obstructive Practices

not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under of ethics during the procurement and execution of the contract. They or through an agent shall Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing The Procuring Entity, as well as the Bidders and Contractors, shall observe the highest standard for the Project.

5. Eligible Bidders

5.1. evaluated Only Bids of Bidders found to be legally, technically, and financially capable will be

52 Contract (SLCC) that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC adjusted, if necessary, by the Bidder to current prices using the PSA's CPI, The Bidder must have an experience of having completed a Single Largest Completed

No. 9184 except under conditions provided for in Section 23.4.2.4 of the 2016 revised IRR of RA

categories of work stated in the BDS A contract is considered to be "similar" to the contract to be bid if it has the major

- is Si record requirement, as specified in the Bidding Document prepared for this purpose government/foreign or international financing institution may agree on another track Foreign-funded Procurement, the Procuring Entity and the
- 5.4 IRR of RA No. 9184. The Bidders shall comply with the eligibility criteria under Section 23.4.2 of the 2016

6. Origin of Associated Goods

UN Security Council taken under Chapter VII of the Charter of the UN There is no restriction on the origin of Goods other than those prohibited by a decision of the

7. Subcontracts

7.1. Subcontracting is not allowed

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the September 26, 2023, at 9:00 A.M., Ralota Hall, Gov. Douglas Ra. Cagas Cultural Sports and Business Complex, Barangay Matti, Digos City, Davao del Sur as indicated in paragraph 6 of the IB.

Ø **Clarification and Amendment of Bidding Documents**

Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the IB, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids. Prospective bidders may request for clarification on and/or interpretation of any part of the

= Documents Comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in Section IX. Checklist of Technical and Financial Documents.
- 10.2. May 2019. The English translation shall govern, for purposes of interpretation of the authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 having jurisdiction over the foreign bidder's affairs in the Philippines. For Contracting appropriate accompanied by submission to the If the eligibility requirements or statements, the bids, and all other documents to the Apostille Philippine foreign service establishment, post, or the equivalent office a translation BAC are in Convention, only 끍. foreign language other than English, it must be in English, which shall be authenticated by the English, the translated documents
- 10.3. and cost of the contract for this Project. Any additional type of Contractor license or permit shall be indicated in the BDS. A valid special PCAB License in case of Joint Ventures, and registration for the type



- 10.4. must meet the required minimum years of experience set in the BDS. complete qualification and experience data shall be provided. These must meet the required minimum warms. A List of Contractor's key personnel (e.g., P. Materials Engineers, and Foremen) assigned to Project Manager, These key personnel Project Engineers, be bid, with their
- 10.5. may be, must meet the minimum requirements for the contract set in the BDS equipment from the equipment lessor/vendor for the duration of the project, as the case A List of Contractor's major equipment units, which are owned, leased, and/or under purchase agreements, supported by proof of ownership, certification of availability of

Documents Comprising the Bid: Financial Component

- 11. The second bid envelope shall contain the financial documents for the Bid as specified in Section IX. Checklist of Technical and Financial Documents.
- 11.2Any bid exceeding the ABC indicated in paragraph 1 of the IB shall not be accepted
- 11.3 conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184 For Foreign-funded procurement, a ceiling may be applied to bid prices provided the

12. Alternative Bids

including the basic technical design as indicated in the drawings and specifications. there is a value engineering clause in the BDS, alternative Bids shall not be accepted. Bidders shall submit offers that comply with the requirements of the Bidding Documents, Unless

13. Bid Prices

pursuant to the revised Guidelines for Contract Price Escalation guidelines prices, and therefore not subject to price escalation during contract implementation, except under extraordinary circumstances as determined by the NEDA and approved by the GPPB All bid prices for the given scope of work in the Project as awarded shall be considered as fixed

14. Bid and Payment Currencies

- the exchange rate as published in the BSP reference rate bulletin on the day of the bid Bid prices may be quoted in the local currency or tradeable currency accepted by the denominated in foreign currencies shall be converted to BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Philippine currency based on
- 14.2 Payment of the contract price shall be made in: Philippine Pesos

15. Bid Security

- 15.1. amount indicated in the BDS, which shall be not less than the percentage of the ABC in accordance with the schedule in the BDS. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the
- 15.2. Procuring Entity as non-responsive. Any bid not accompanied by an acceptable bid security shall be rejected by the The Bid and bid security shall be valid for 120 Calendar Days upon opening of bids.

16. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid

disqualification However, failure of the Bidders to comply with the said request shall not be a ground for The Procuring Entity may request additional hard copies and/or electronic copies of the Bid.

If the Procuring Entity allows the submission of bids through online submission to the given which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified. website or any other electronic means, the Bidder shall submit an electronic copy of its

17. Deadline for Submission of Bids

at 9:00 A.M. Late bids shall not be accepted. All bids must be accompanied by a bid security Business Complex, Barangay Matti, Digos City, Davao del Sur on or before October 10, 2023 in any of the acceptable forms and in the amount stated in ITB Clause 18. Bids must be delivered to the Ralota Hall, Gov. Douglas Ra. Cagas Cultural Sports and

⇔ Opening and Preliminary Examination of Bids

18.1. recorded by the BAC Secretariat. other similar technologies will be used, attendance of participants shall likewise be sign a register evidencing their attendance. In case videoconferencing, webcasting or The BAC shall open the Bids in public at the time, on the date, specified in paragraph 9 of the IB. The Bidders' representatives who representatives who are present shall and at the

shall prevail In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184

The preliminary examination of Bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all Bids conditions in the evaluation of Bids under Section 32.2 of 2016 revised IRR of RA No. rated "passed" using non-discretionary pass/fail criteria. The BAC shall consider the
- 19.2. the Procuring Entity. Bid Security as required by ITB Clause 15 shall be submitted for so as to determine the Bid or combination of Bids offering the lowest calculated cost to If the Project allows partial bids, all Bids and combinations of Bids as indicated in the each contract (lot) separately. BDS shall be received by the same deadline and opened and evaluated simultaneously
- 19.3. In all cases, the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184 must be sufficient for the total of the ABCs for all the lots participated in by the prospective Bidder.

20. Post Qualification

latest income and business tax returns filed and paid through the BIR Electronic Filing and notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its Payment System (eFPS), and other appropriate licenses and permits required by law and stated Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the

21. Signing of the Contract

part of the Contract. Additional Contract documents are indicated in the BDS The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form

SECTION III

のヨーフタータの土地では、

₽~? }—7

Bid Data Sheet (IB No.: C-143-23)

		21		20	19.2		15.1	12			10.5		10.4	10.3	7.1			5.2	ITB Clause
Such documents shall be duly signed by the bidders or its duly authorized representative/s.	b. Envelope 2 (Financial Proposal) One (1) ORIGINAL COPY, another copy for COPY 1, and another copy for COPY 2.	1. Presentation of the Bidding Documents a. Envelope 1 (Eligibility/ Technical Documents) One (1) ORIGINAL COPY, another copy for COPY 1, and another copy for COPY 2.	Post-Qualification Requirements: Latest Income Tax Returns, Business Tax Returns for the last 6 months.	Permits and Clearances as required by the End-User	Partial bid is not allowed. The infrastructure project is packaged in a single lot and the lot shall not be divided into sub-lots for the purpose of bidding, evaluation, and contract award. In all cases, the NFCC computation must be sufficient for the contract to be awarded to the Ridder	b. The amount of not less than P100, 000.00 [five percent (5%) of ABC], if bid security is in Surety Bond.	The bid security shall be in the form of a Bid Securing Declaration or any of the following forms and amounts: a. The amount of not less than P40,000.00 [two percent (2%) of ABC], if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit;		"No further instructions."	Equipment Capacity Number of Units	The minimum major equipment requirements are the following:	Key Personnel General Experience Relevant Experience	The key personnel must meet the required minimum years of experience set below:	"No further instructions."	Subcontracting is not allowed.	(based on DPWH DO 14 Series of 2017)	Buildings: Construction or Rehabilitation	For this purpose, contracts similar to the Project refer to contracts which have the same major categories of work, which shall be:	

rejected outright. For the Financial Proposal not exceeding ten (10) pages maybe book bound or securely stapled. Eligibility/Technical and Financial Proposal must be book bound and properly tabbed at the right side. Any documents submitted not book bound shall be

All copies must be properly marked (ORIGINAL COPY, COPY 1 AND COPY 2)

one sealed mother envelope. Envelope 1 and Envelope 2 must be properly sealed, and will be placed in

- and requirements as stated in the Instruction to Bidders: Other documents/materials to comply with other non-discretionary criteria
- Construction Methods
- Construction schedule and S-Curve
- Pert-CPM
- Manpower Utilization Schedule
- Equipment Utilization Schedule
- Construction Safety & Health Program
- Duly Notarized Certification as to compliance to Labor Laws and Affidavit of Site Inspection
- Standard The DOLE approved Construction Safety and Health Program is required

before entering into Contract

SECTION IV

OF CONTRACT CONDITIONS

7.

General Conditions of Contract

1. Scope of Contract

terms and conditions of the Contract, and thus, applicable in contract implementation. Generic Procurement Manual, and associated issuances, constitute the primary source for the reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the clauses shall serve as the secondary source for the terms and conditions of the Contract. This Contract shall include all such items, although not specifically mentioned, that can be

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the amendment. advertisement, posting, or invitation of which were issued after the effectivity of the said

2. Sectional Completion of Works

Intended Completion Date for the whole of the Works). shall apply to any Section of the Works (other than references to the Completion Date and Conditions of Contract to the Works, the Completion Date, and the Intended Completion Date If sectional completion is specified in the Special Conditions of Contract (SCC), references in the

3. Possession of Site

- ن part of the Procuring Entity to give possession in accordance with the terms of this clause, the Procuring Entity's Representative shall give the Contractor a Contract Time Extension and certify such sum as fair to cover the cost incurred, which sum shall be paid by execution of the Works. If the Contractor suffers delay or incurs cost from failure on the Procuring Entity. based on the The Procuring Entity shall give possession of all or parts of the Site to the Contractor based on the schedule of delivery indicated in the SCC, which corresponds to the
- 3.2 contract time to address such delay may be addressed through contract extension provided under Annex "E" of the 2016 revised IRR of RA No. 9184. If possession of a portion is not given by the above date, the Procuring Entity will be deemed to have delayed the start of the relevant activities. The resulting adjustments in

4. The Contractor's Obligations

The Contractor shall employ the key personnel named in the Schedule of Key Personnel indicating their designation, in accordance with ITB Clause 10.3 and specified in the BDS, to carry out the supervision of the Works.

The Procuring Entity will approve any proposed replacement of key personnel only if their relevant qualifications and abilities are equal to or better than those of the personnel listed in the

5. Performance Security

5.1. Entity but in no case later than the signing of the contract by both parties, the successful Within ten (10) calendar days from receipt of the Notice of Award from the Procuring

I

of the 2016 revised IRR Bidder shall furnish the performance security in any of the forms prescribed in Section 39

52. this Contract. supplying the right of the Procuring Entity to institute action pursuant to RA No. 3688 subcontractor be they an individual, firm, partnership, corporation, or The Contractor, by entering into the Contract with the Procuring Entity, acknowledges the right of the Procuring Entity to institute action pursuant to RA No. 3688 against any Contractor with labor, materials and/or equipment for the performance of association

6. Site Investigations

the SCC supplemented by any information obtained by the Contractor. The Contractor, in preparing the Bid, shall rely on any Site Investigation Reports referred to

7. Warranty

- 7.1. property(ies) to attachment or garnishment proceedings, and perpetually disqualify it from participating in any public bidding. All payables of the GOP in his favor shall be offset to revised IRR, the Procuring Entity shall forfeit its performance security, subject its recover the costs. In case the Contractor fails to undertake the repair works under Section 62.2.2 of the 2016
- 7.2 Acceptance by the Procuring Entity. majeure, shall cover the period from the date of issuance of the warranty against Structural Defects/Failures, Specific duration of the warranty is found in the except that occasioned-on Certificate of Final force

8. Liability of the Contractor

Contract shall be as provided by the laws of the Republic of the Philippines. Subject to additional provisions, if any, set forth in the SCC, the Contractor's liability under this

liable to the Procuring Entity. If the Contractor is a joint venture, all partners to the joint venture shall be jointly and severally

9. Termination for Other Causes

that the Contractor has engaged, before, or during the implementation of the contract, in unlawful deeds and behaviors relative to contract acquisition and implementation, such as, but not limited to corrupt, fraudulent, collusive, coercive, and obstructive practices as stated in ITB Clause 4. Contract termination shall be initiated in case it is determined prima facie by the Procuring Entity

10. Dayworks

has given written instructions in advance for additional work to be paid for in that way be used for small additional amounts of work only when the Procuring Entity's Representative 9184, and if applicable as indicated in the SCC, the Dayworks rates in the Contractor's Bid shall Subject to the guidelines on Variation Order in Annex "E" of the 2016 revised IRR of RA No.

11. Program of Work



11.1. The Contractor shall submit to the Procuring Entity's Representative for approval the said Program of Work showing the general methods, arrangements, order, and timing for all

the activities in the Works. The submissions of the Program of Work are indicated in the

11.2. updated Program of Work at intervals no longer than the period stated in the SCC. If the Contractor does not submit an updated Program of Work within this period, the Procuring Entity's Representative may withhold the amount stated in the SCC from the next date on which the overdue Program of Work has been submitted. payment certificate and continue to withhold this amount until the next payment after the The Contractor shall submit to the Procuring Entity's Representative for approval an

12. Instructions, Inspections and Audits

The Contractor shall permit the GOP or the Procuring Entity to inspect the Contractor's accounts and records relating to the performance of the Contractor and to have them audited by auditors of the GOP or the Procuring Entity, as may be required.

13. Advance Payment

a Contract document, make an advance payment to the Contractor in an amount not exceeding fifteen percent (15%) of the total contract price, to be made in lump sum, or at the most two installments according to a schedule specified in the SCC, subject to the requirements in Annex "E" of the 2016 revised IRR of RA No. 9184. The Procuring Entity shall, upon a written request of the Contractor which shall be submitted as

14. Progress Payments

site but not completely put in place shall not be included for payment. payment shall be The Contractor may submit a request for payment for Work accomplished. shall be verified and certified by the Procuring Entity's Representative/Project Except as otherwise stipulated in the SCC, materials and equipment delivered on the certified Procuring Entity's Representative/Project Such requests for

15. Operating and Maintenance Manuals

- 15.1. maintenance manuals as specified in the SCC If required, the Contractor will provide "as built" Drawings and/or operating and
- 15.2. payments due to the Contractor above, or they do not receive the Procuring Entity's Representative's approval, Procuring Entity's Representative may withhold the amount stated in the SCC f Contractor does not provide the Drawings and/or manuals by the dates stated

I

SECTION V.

SPECIAL CONDITIONS OF CONTRACT

Σ.

Special Conditions of Contract

	The state of the s
2	The Intended Completion Date is 60 calendar days upon receipt of the Notice
	to Proceed.
4.1	The Procuring Entity shall give possession in full the parts of the Site to
	the Contractor upon receipt of the Notice to Proceed.
6	The site investigation reports are:
	Site Inspection Report
7.2	[In case of semi-permanent structures, such as buildings of types 1, 2, and 3 as
	classified under the National Building Code of the Philippines,
	concrete/asphalt roads, concrete river control, drainage, irrigation lined
	canals, river landing, deep wells, rock causeway, pedestrian overpass, and
	other similar semi-permanent structures:] Five (5) years.
10	
	a. Dayworks are applicable at the rate shown in the Contractor's original Bid.
promisi promisi Promisis	"No further instruction."
11.2	"No further instruction."
1)	
13	of the total contract price to be recouped every progress billing.
14	Materials and equipment delivered on the site but not completely put in place shall not be included for payment.
4 /* 4	
15.1	"No further instructions."
	The date by which "as built" drawings are required is 15 days prior turn-over
	and acceptance.
15.2	"No further instructions."

SECTION VI.

SPECIFICATIONS

[See attached file.]

Name of Project Location

∶ REPAIR/ IMPROVEMENT OF PROVINCIAL REHABILITATION CENTER ∶ CAPITOL COMPOUND, MATTI, DIGOS CITY, DAVAO DEL SUR

SPECIFICATIONS

	s for Public	Specifications shall be in accordance with the DPWH Standard Specifications for Public	NOTE:
1.00	l.s.	Lighting Fixtures	1103 (1)
1.00	l.s.	Panelboard with Main & Branch Breakers	1102 (1)
1.00	l.s.	Wires and Wiring Devices	1101(33)
1.00	i.s.	Conduits, Boxes & Fittings (Conduit Works/Conduit Rough-In)	1100 (10)
43.96	sg.m.	Painting Works, Steel	1032(1)c
771.43	sq.m.	Painting Works, Masonry/Concrete	1032(1)a
1.00	l.s.	Structural Steel, Roof Framing	1047(8)
1.00	l.s.	Structural Steel	1047 (1)
7.84	sq.m.	Pre-painted Metal Sheets, above 0.427mm., Rib Type, Long Span	1014(1)b2
321.71	ln.m.	Metal Deck Panel	1033(1)
1.00	l,s.	Carpentry and Joinery Works	1003(17)
1.00	l.s.	Plumbing Fixtures	1002 (4)
1.00	l.s.	Septic Vault/ Tank, Concrete/CHB	1001 (11)
1.00	<u>.s</u>	Storm Drainage & Downspout	1001 (9)
233.37	sq.m.	Cement Plaster Finish	1027 (1)
60.90	sq.m.	CHB Non Load Bearing (including Reinforcing Steel),100 mm	1046(2)a1
51.72	sq.m.	Formworks and Falseworks	903 (2)
2,798.08	ķģ	Reinforcing Steel (Deformed) Grade 40	902 (1)a1
51.99	cu.m.	Structural Concrete ,Class A, 3000 psi, 28 days	900 (1)c
8.40	cu.m.	Gravel Fill	804 (4)
4.80	cu.m.	Structure Excavation (Common Soil)	803 (1)a
1.00	S.	Removal of Structures and Obstruction	801 (1)
1.00	i.s.	Mobilization/ Demobilization	B.9
1.00	l.s.	Occupational Safety and Health	B.7
1.00	each	Project Billboard/ Signboard	B.5
1.00 —	l.s.	Permits and Clearances	В.3
Quantity	Unit	Description	Item

Works Structures. ctures. Volume III 2019

Prepard by:

FRANKLIN N. ISLA III Engineering Assistant


JOSE JOSE JOSE PROMIZALES
Planning & Programming Division

LEONER MARCH P. SUARIO
Provincial Engineer

ppproved by:

SECTION VII.

Office of the BAC Secretariat for Infrastructure Projects, Room 16, Executive Building of Provincial Capitol, Matti, Digos City, upon purchase of the Provincial Government of Davao del Sur, Procurement Management Office, [The Detailed Architectural and Engineering Design is available at the corresponding bidding documents.]



REPUBLIC OF THE PHILIPPINES PROVINCE OF DAVAO DEL SUR PROVINCIAL ENGINEER'S OFFICE SAN AGUSTIN, DIGOS CITY, DAVAO DEL SUR



DETAILED ENGINEERING DESIGN FOR

REPAIR/ IMPROVEMENT OF PROVINCIAL REHABILITATION CENTER

LOCATION: CAPITOL COMPOUND, MATTI, DIGOS CITY, DAVAO DEL SUR

PROJECT DESCRIPTION
-REPAIR/ IMPROVEMENT OF BUILDING-

JAIL ROOM AREA 10m X 8m X 3 units = 240 sq.m.
TOWER GUARD HOUSE FLOOR PLAN 1.90m X 1.90m = 3.61 sq.m.

TOTAL AREA = 243.61 sq.m.

OODIVII 1 J.E.D.

H Ř. GONZALES


PLANNING AND PROGRAMMING DIVISION HEAD

RECOMMENDING APPROVAL:

LEONERL MARCH P. SUARIO

APPROVED

YVONNE ROÑA CAGAS
PROVINCIAL GOVERNOR







PERSPECTIVE

DRAWN

NTS



THIS SITE



A-1

REPARED BY:

VICINITY MAP

SCALE

NTS

REVIEWED BY:

GUARD HOUSÉ NOTES & < SPECIFICATION SITE ELECTRICÁL LAY-OUT LEGEND NOTES & SPECIFICATION SCHEDULE OF LOAD SINGLE LINE DIAGRAM 0.0 OTHERS 0-1 SUMMARY OF QUANTITY RECOMMENDING ARPROVAL APPROVED BY: LEONERL MARCH PSUARIO PROVINCIAL ENGINEER

OFFICE OF THE BUILDING **OFFICIAL**

REPUBLIC OF THE PHILIPPINES DEPARTMENT OF WORKS AND HIGHWAYS

DISTRICT/CITY/MUNICIPALITY

LAND USE AND ZONING

LINE AND GRADE

PARAPET WALL DETAILS ON LEFT SIDE VIEW

STEEL DECK ISOMETRIC PLAN SPOT DETAILS "A"

TABLE OF CONTENTS

A.O ARCHITECTURAL PERSPECTIVE . SITE DEV. PLAN VICINITY

SCOPE OF WORKS (

· 15T FLOOR PLAN/

2ND FLOOR PLAN

FRONT ELEVATION : LEFT ELEVATION 🗸

RIGHT ELEVATION - SECTION THRU A-A - INSTALLATION OF / INDOOR TOILET DET. TOWER GUARD HOUSE TOWER GUARD HOUSE REAR ELEV. TOWER GUARD HOUSE

TOWER GUARD HOUSE

TOWER GUARD HOUSE ISOMETRIC ELEV. SPOT DETAILS "1" . SPOT DETAILS "2" / SPOT DETAILS "3" , TOWER GUARD HOUSE FRONT ELEV.

STRUCTURAL

GENERAL NOTES &/ SPECIFICATIONS

RIGHT ELEV.

LEFT ELEV.

S.0

S-1 5-2

S-3

P.0

STEEL DECK PLAN .

SECTION DETAILS BEAM DETAILS STIFFINER (ST) ARCHITECTURAL

DETAILS LINTEL BEAM DET.

- FOUNDATION PLAN 🗸 - FLOOR FRAMING PLAN ROOF FRAMING PLAN

SPOT DETAILS OF CONNECTION

- PIFI DETAILS 🗹 PLUMBING

STRUCTURAL - LEGEND GENERAL NOTES

PLUMBING LAY-BUT SEPTIC VAULT DET,

LEGEND

ISOMETRIC PLUMBING SEPTIC VAULT DET.

(SECTION) / ELECTRICAL SANITARY

LEGEND ELECTRICAL LAY-DUT

JAIL LIGHTING LAY-OUT JAIL POWER LAY-DUT

SCHEDULE OF LOAD

PROJECT BILLBOARD

MECHANICAL

ELECTRICAL

HEET NO.:

SCALE

2

A-1

REPUBLIC OF THE PHILIPPINES PROVINCIAL ENGINEER'S OFFICE SAN AGUSTIN, DIGOS CITY, DAVAO DEL SUR

SITE DEVELOPMENT PLAN

ROJECT TITLE:

NTS

REPAIR/ IMPROVEMENT OF PROVINCIAL REHABILITATION CENTER


CAPITOL COMPOUND, MATTI, DIGOS CITY, DAVAO DEL SUR





JOSEPH R. GONZALES ENGINEER - III PLANNING AND PROGRAMMING DIV. HEAD




A-1









GENERAL NOTES

1.0 STANDARDS AND REFERENCES

THE FOLLOWING SHALL GOVERN THE DESIGN FABRICATION AND CONSTRUCTION OF THE PROJECT. 1.1 NATIONAL STRUCTURAL CODE OF THE PHILIPPINES (N.S.C.P 2015) VOL. 1, SEVENTH EDITION. 1.2 SPECIFICATIONS SHALL BE IN ACCORDANCE WITH THE DPWH STANDARD SPECIFICATIONS FOR PUBLIC WORKS STRUCTURES VOLUME III, 2019 EDITION

2.0 DESIGN CRITERIA

2.1 LOADINGS

E(T EOT (B III O B
A. DEAD LOAD
COMODETE

STEEL 76.93 kN/m3 150 mm THK, CHB WALL 2.73 kPa 100 mm THK, CHB WALL B. LIVE LOAD 1.00 kPa ROOF 1.90 kPa 3.80 kPa CORRIDORS ABOVE, STAIRS CORRIDORS ON GROUND 4 80 kPa

C. WIND LOAD

BUILDING CATEGORY = 1 (ESSENTIAL FACILITIES) EXPOSURE = D (FLAT, UNOBSTRUCTED AREAS AND WATER SURFACES)

MAXIMUM WIND VELOCITY, V = 340 KPH

P = qh [(GCpf)-(GCpi)] (DESIGN WIND PRESSURE)

WHERE: dh = VELOCITY PRESSURE (kPa) GCpf = EXTERNAL PRESSURE COFFEIGIENT GCpf = INTERNAL PRESSURE COEFFICIENT

D. SEISMIC LOAD

V = CVI W (DESIGN BASE SHEAR) Vmax = 2.50Cal W

 $Vmln = \frac{0.80 \text{ ZNVI}}{D} W \text{ (ZONE 4)}$

WHERE: W = TOTAL DEAD LOAD T = NATURAL PERIOD = Ct(h)

WHERE: C = NUMERICAL COEFFICIENT th = BUILDING HEIGHT I = IMPORTANCE FACTOR = 1,50 R = NUMERICAL FACTOR = 8.50

SEISMIC COEFFICIENT Cv = 0.44 Nv Ca = 0.64 Ny NEAR SOURCE FACTOR (5 km) Nv = 1.6 Na = 1.2

Z = SEISMIC ZONE = 0.40 (ZONE 4) S = SOIL TYPE = D

A. CONCRETE COMPRESSIVE STRENGTH @ 28 DAYS: 2. FOOTINGS, COLUMNS, BEAMS AND SLABS

b. SLAB ON FILL

B. REINFORCING STEEL BARS
a. FOR BARS 16mm AND GREATER (INTERMEDIATE GRADE DEFORMED BAR) b. FOR BARS LESS THAN 16mm (STRUCTURAL GRADE DEFORMED BAR) C. STRUCTURAL STEEL ASTM-A36

FOR TRUSSES, BRACINGS, & STRUTS D. PURLINS

COLD FORMED LIGHT E. MASONRY UNIT (CHB)

NON - LOADING BEARING CHB WALLS F. WELDS G. STRUCTURAL BOLTS ASTM- A307

3.0 IN THE INTERPRETATION OF THE DRAWING, INDICATED DIMENSIONS SHALL GOVERN DISTANCES AND SIZES SHALL NOT BE SCALED FOR CONSTRUCTIONS PURPOSES

4.0 IN REFERENCES TO OTHER DRAWINGS, SEE ARCHITECTURAL DRAWINGS FOR DEPRESSIONS IN FLOOR SLABS, OPENINGS IN THE WALLS AND SLABS, INTERIOR PARTITIONS, LOCATIONS OF DRAINS ETC.

5.0 IN CASE OF DISCREPANCIES AS TO THE LAYOUT, DIMENSIONS AND ELEVATIONS BETWEEN THE STRUCTURAL PLANS AND ARCHITECTURAL DRAWINGS, THE CONTRACTORS SHALL NOTIFY BOTH THE STRUCTURAL ENGINEER AND ARCHITECTS.

6.0 ALL CONCRETE WORKS AND CONCRETE REINFORCEMENTS SHALL BE DONE IN ACCORDANCE WITH THE ACI.318 95 BUILDING CODE REQUIREMENT AND ALL STRUCTURAL STEEL WORKS ACCORDING WITH THE AISC SPECIFICATION (9TH EDITION) SO FAR AS THEY DO NOT CONFLICT WITH THE LOCAL BUILDING CODE REQUIREMENT.

7.0 ACI REFERS TO AMERICAN CONCRETE INSTITUTE, AISC REFERS TO AMERICAN INSTITUTE OF STEEL CONSTRUCTION AND ASTM REFERS TO AMERICAN SOCIETY FOR TESTING MATERIALS.

8.0 CONSTRUCTION NOTES AND TYPICAL DETAILS APPLY TO ALL DRAWINGS UNLESS OTHERWISE SHOWN OR NOTED. MODIFY TYPICAL DETAILS AS DIRECTED TO MEET SPECIAL CONDITIONS.

9.0 SHOP DRAWING WITH ERECTION AND PLACING DIAGRAMS OF ALL STRUCTURAL STEELS, MISCELLANEOUS IRON, PRE-CAST CONCRETE, ETC. SHALL BE SUBMITTED FOR ENGINEERS APPROVAL BEFORE FABRICATION

10. CONTRACTOR SHALL NOTE AND PROVIDE ALL MISCELLANEOUS CURBS, SILLS , STOOLS EQUIPMENT AND MECHANICAL BASES THAT ARE REQUIRED BY THE ARCHITECTURAL, ELECTRICAL AND MECHANICAL DRAWINGS.

11. ALL RESULTS OF THE MATERIAL TESTING FOR CONCRETE, REINFORCING BARS & STRUCTURAL STEEL MUST 8E NOTED & APPROVED BY THE MATERIALS ENGINEER/STRUCTURAL DESIGNER.

GENERAL CONSTRUCTION NOTES

1. USE TYPE 1 PORTLAND CEMENT FOR STRUCTURAL CONCRETE

2. ALL CONCRETE SHALL DEVELOP A MIN, COMPRESSIVE STRENGTH AT THE END OF TWENTY EIGHT (28) DAYS W/ CORRESPONDING MAXIMUM SIZE AGGREGATE & SLUMP AS FOLLOWS,

LOCATION	28 DAYS STRENGTH	AGGREGATE	MAX SLUM
ALL OTHERS, INCLUDING SUSPENDED SLABS	3000 PSI (20.7 MPa)	20 mm	100mm
COLUMNS BEAMS ,SLABS SLAB ON FILL	3000 PSI (20.7 MPa) 3000 PSI (20.7 MPa) 2500 PSI (17.5 MPa)	20 mm 20 mm 20 mm	100mm 100mm 100mm

3. MAINTAIN MINIMUM CONCRETE COVER FOR REINFORCING STEEL AS FOLLOWS SUSPENDED SLABS WALLS ABOVE THE GRADE 25mm BEAM STIRRUPS AND COLUMN TIES WHERE CONCRETE IS EXPOSED TO FARTH RUT POURED AGAINST FORMS 50mm WHERE CONCRETE IS DEPOSITED DIRECTLY AGAINST EARTH

4. CONCRETE SHALL BE DEPOSITED IN ITS FINAL POSITION WITHOUT SEGREGATION, RE-HANDLING OR PLACING SHALL BE DONE PREFERABLY WITH BUGGIES . BUCKETS OR WHEELBARROWS NO CHUTES WILL BE ALLOWED EXCEPT TO TRANSFER CONCRETE FROM HOPPERS TO BUGGIES, WHEELBARROWS OR BUCKETS IN WHICH CASE THEY SHALL NOT EXCEED SIX (6) METERS IN AGGREGATE LENGTH.

5, NO DEPOSITING OF CONCRETE SHALL BE ALLOWED WITHOUT THE USE OF VIBRATORS UNLESS AUTHORIZED IN WRITING DESIGNER AND ONLY FOR UNUSUAL CONDITIONS WHERE VIBRATIONS ARE EXTREMELY DIFFICULT TO ACCOMPLISH.

6. ALL ANCHOR BOLTS, DOWELS, AND OTHER INSERTS SHALL BE PROPERLY POSITIONED & SECURED IN PLACE PRIOR TO PLACING OF CONCRETE.

7. ALL CONCRETE SHALL BE KEPT MOST FOR A MINIMUM OF SEVEN CONSECUTIVE DAYS IMMEDIATELY AFTER POURING BY THE USE O WET BURLAP, FOG SPRAYING, CURING COMPOUNDS OR OTHER APPROVED METHODS.

8. STRIPPING OF FORMS AND SHORES FOUNDATION 24 HOURS SUSPENDED SLAB EXCEPT WHEN 8 DAYS ADDITIONAL LOADS ARE IMPOSED 21 DAYS 14 DAYS COLUMNS 21 DAYS

9. THE CONTRACTOR SHALL SUBMIT THE SCHEDULE OF POURING AND THE LOCATION OF THE CONSTRUCTION JOINTS TO THE STRUCTURAL ENGINEER AT LEAST (4) DAYS PRIOR TO THE POURING FOR APPROVAL

CONCRETE MEMBERS HAVE ATTAINED THEIR WORKING CONDITION AND STRENGTH

 FOOTINGS ARE DESIGNED FOR AN ALLOWANCE SOIL BEARING PRESSURE OF 96 KPa (2000ps) CONTRACTOR SHALL REPORT TO THE ENGINEER, IN WRITING, THE ACTUAL SOIL CONDITIONS UNCOVERED AND CONFIRM ACTUAL BEARING CAPACITY OF SOIL BEFORE DEPOSITING CONCRETE,

10. THE CONTRACTOR SHALL FURNISH AND MAINTAIN ADEQUATE FORMS AND SHORINGS UNTIL THE

2. FOOTING SHALL REST AT LEAST 1500mm BELOW NATURAL GRADELINE UNLESS OTHERWISE INDICATED IN PLANS. NO FOOTING SHALL REST ON FILL

3. MINIMUM CONCRETE PROTECTION FOR REINFORCEMENT SHALL BE 75mm CLEAR FOR CONCRETE DEPOSITED THE GROUND AND 50mm FOR CONCRETE DEPOSITED AGAINST A FORMWORK, 4. IN CASES WHERE THE SOIL CONDITION IS SUCH THAT THE MINIMUM ALLOWARI E SOIL PRESSURE

OF 96KPa (2000 psf) CAN NOT BE ATTAINED AT A PRACTICAL DEPTHS THE USE OF MICROPILES, BORED PILES, OR DRIVEN PILES MAY BE ADOPTED IN LIEU OF STANDARD ISOLATED FOOTINGS

NOTES ON REINFORCEMENT

NOTES ON FOOTINGS

fc = 20.7 MPa (3,000 psl)

fc = 17.5 MPa (2,500 psi)

fy = 275 MPa (40,000 psi

fy = 230 MPa (33,000 psi)

fy = 248 MPa (36,000 ps)

fy = 248 MPa (36,000 psi)

fm' = 3.45 MPa (500 psi)

E - 60XX ELECTRODE

a. Ft = 96.60 mPa (14, 000 psi)

b. Fv= 69.00 mPa (10, 000 psi


1. UNLESS OTHERWISE NOTED IN PLANS, THE YIELD STRENGTH OF REINFORCING BARS SHALL BE: FOOTINGS , FOOTING BEAMS AND GIRDERS B. COLUMNS AND SHEAR WALLS fv = 275 MPa (40,000 psi

 $f_V = 275 \, \text{MPa} \, (40.000 \, \text{psi})$ D. NON-LOAD BEARING WALL PARTITIONS , BEDDED SLABS , FLOOR & ROOF SLABS PARAPETS CATCH BASIN, SIDE WALK . fy = 275 MPa (40,000 psi)

2. ALL REINFORCING BARS SIZE 10mm OR LARGER SHALL BE DEFORMED IN ACCORDANCE WITH THE ASTM A-706 BARS SMALLER THAN 10mm MAY BE PLAIN. SPLICES SHALL BE SECURELY WIRED TOGETHER & SHALL LAP OR EXTEND IN ACCORDANCE W/TABLE B
(TABLE OF LAP SPLICE & ANCHORAGE LENGTH) UNLESS OTHERWISE SHOWN ON DRAWINGS, SPLICES SHALL BE

STAGGERED WHENEVER POSSIBLE NOTES ON CONCRETE SLABS

1. ALL SLAB REINFORCEMENTS SHALL BE 20mm CLEAR MINIMUM FROM BOTTOM AND FROM THE TOP OF SLAB. 2. UNLESS OTHERWISE SHOWN, REINFORCEMENT IN CONTINUOUS ELEVATED SLAB SHALL BE CUT AS FOLLOWS:




3. IF SLABS AR E REINFORCED BOTHWAYS BARS ALONG THE SHORTER SPAN SHALL BE PLACED BELOW THOSE ALONE THE LONG SPAN AT THE CENTER AND OVER THE LONGER SPAN FOR REINFORCING BARS NEAR THE SUPPORTS, THE SPACING OF THE BARS AT THE COLUMN STRIPS SHALL NOT BE MORE THAN ONE AND A HALF (1 1) SLAB THICKNESS.

4. TEMPERATURE BARS FOR SLAB SHALL BE GENERALLY PLACED NEAR THE FACE IN TENSION AND SHALL NOT BE LESS THAN 0.0025 X GROSS-SECTIONAL AREA (Ag) OF THE SLAB. (SEE SCHEDULE BELOW!


SCHEDUL	E OF MINIMUM SLAB REINFORCEMENT
	MINIMUM TEMPERATURE BARS
100 mm	10mm Ø @ 250mm EACH WAY
125 mm	10mm Ø @ 250mm EACH WAY
150 mm	10mm Ø @ 250mm EACH WAY
175 mm	10mm Ø @ 250mm EACH WAY
200 mm	10mm Ø @ 250mm EACH WAY

- 5. UNLESS OTHERWISE NOTED IN THE PLANS ALL BEDDED SLABS SHALL BE REINFORCED WITH 10mm \varnothing AT 250mm O.C. EACH WAY TO CENTER OF SLAB AND CONSTRUCTION JOINTS FOR SAME SHALL
- 6. PROVIDE EXTRA REINFORCEMENTS FOR CORNER SLAB (TWO ADJACENT DISCONTINUES EDGES)
- 7. CONCRETE SLAB REINFORCEMENT BE PROPERLY SUPPORTED WITH 10mm STEEL CHAIR OR APPROVED EQUIVALENT SPACED AT 1.0 METER ON CENTER BOTHWAYS




NOTES ON COLUMNS

- 1. PROVIDE EXTRA SETS OF TIES AT 100 O.C. FOR TIED COLUMN REINFORCEMENT ABOVE AND BELOW BEAM-COLUMN CONNECTIONS FOR A DISTANCE FROM FACE OF CONNECTION EQUAL TO GREATER OF THE OVERALL THICKNESS OF COLUMN, 1/6 THE CLEAR HEIGHT OF COLUMN OR 450mm.
- 2. COLUMN TIES SHALL BE PROTECTED EVERYWHERE BY A COVERING OF CONCRETE CAST MONOLITHICALLY WIT THE CORE WITH A MINIMUM THICKNESS OF 40mm AND NOT LESS THAN 40 TIMES THE MAXIMUM SIZE OF COARSE AGGREGATE IN MILLIMETERS.
- 3. WHERE COLUMNS CHANGE IN SIZE , VERTICAL REINFORCEMENT SHALL BE OFFSET AT A SLOPE MONOLITHICALLY WITH THE CORE WITH MINIMUM THICKNESS OF 40mm AND NOT LESS THAN 40 TIMES THE MAXIMUM SIZE COARSE AGGREGATE IN MILLIMETERS
- 4. UNLESS OTHERWISE INDICATED IN THE PLANS, LAP SPLICES FOR VERTICAL COLUMN REINFORCEMENT SHALL BE MADE WITHIN THE CENTER HALF OF COLUMN HEIGHT, AND THE SPLICE LENGTH SHALL BE LESS THAN 40 BAR DIAMETERS, WELDING OR APPROVED MECHANICAL DEVICES MAY BE USED PROVIDED THAT NOT MORE THAN ALTERNATE BARS ARE WELDED OR MECHANICALLY SPLICED AT ANY LEVEL AND THE VERTICAL DISTANCES. BETWEEN THESE WELDS OR SPLICES OF ADJACENT BARS IS NOT LESS THAN 600mm.




TYPICAL COLUMN ELEV, SHOWING DOWELS AND TIES SPACING




TYP, DETAIL OF COL, LAP SPLICE & EXT, GIRDER TO COL, CONNECT

NOTES ON BEAMS AND GIRDERS

- 1. UNLESS, OTHERWISE NOTED IN PLANS , CAMBER ALL BEAMS AND GIRDER AT LEAST 6mm0 FOR EVERY 4.50 M OF SPAN , EXCEPT CANTILEVERS FOR WHICH THE CAMBER SHALL BE AS NOTED IN PLANS OR AS ORDERED BY THE ENGINEER BUT IN NO CASE LESS THAN 20 mm FOR EVERY 3.0 M OF FREE SPAN.
- 2. TYPICAL BARS BENDING AND CUTTING DETAILS FOR BEAMS SHALL BE AS SHOWN IN FIG. B-1







REPUBLIC OF THE PHILIPPINES PROVINCIAL ENGINEER'S OFFICE SAN AGUSTIN, DIGOS CITY, DAVAO DEL SUR

ROJECT TITLE

REPAIR/ IMPROVEMENT OF PROVINCIAL REHABILITATION CENTER FRANKLIN N, ISLA ENGINEERING ASSISTAN

REPARED BY

JOSEPH'R. GONZALES ENGINEER -V

REVIEWEDB

RECOMMEND LEONERL MARCH P SUARIO PROVINCIAL ENGINEER

6 16

SHEET NO.

CAPITOL COMPOUND, MATTI, DIGOS CITY, DAVAO DEL SUR

GENERAL CONSTRUCTION NOTES


TENSION BARS TABLE OF LAP SPLICE & ANCHORAGE LENGTH (mm) fo = 20.7 MPa(300psi) fo = 27.6 MPa (4000psi) EMBEDMENT LAPPED EMBEDMENT LAPPED 300 400

@28	760	1000	650	850
Ø32	950	1300	850	1100
2 NOT M	AN BARS, MULTIPL DRE THAN 33% OF THE RE	THE BARS SHALL B		


TABLE 'B'								
COMPRESSION BARS TABLE OF LAP SPLICE & ANCHORAGE LENGTH (mm)								
TABLE	OF LAP SPLIC	E & ANCHO	RAGE LENGTH (mm)				
BAR SIZES	fc' = 20.77,5	Pa(300psl)	fc' = 27,6 MP	a (4000psl)				
(DEFORMED INV)	EMBEDMENT	LAPPED	EMBEDMENT	LAPPEC				
Ø10	225	300	200	360				
Ø12	276	360	250	300				
Ø16	350	400	325	400				
020	450	500	475	560				
025	550	625	550	625				
Ø28	625	675	625	675				
Ø32	700	775	700	775				

3 VALUES GIVEN ABOVE CAN ALSO BE USED FOR COLUMNS

- 3. IF THE BEAM REINFORCING BARS END IN A WALL, THE CLEAR DISTANCE FROM THE BAR TO THE FARTHER FACE OF THE WALL IS NOT LESS THAN 25mm. EMBEDMENT LENGTH SHALL BE SHOWN IN A TABLE 'A' FOR TENSION BARS AND TABLE 'B' FOR COMPRESSION BARS UNLESS UNLESS SPECIFIED IN PLAN. TOP BARS AND SHALL NOT BE SPLICED WITHIN THE COLUMN OR TWO STIRRUPS SHALL BE PROVED AT ALL SPLICES.
- 4. IF THERE ARE TWO OR MORE LAYERS OF REINFORCING BARS, USED 25mm BAR SEPARATORS SPACED AT 1,0M ON ON CENTER ON NO CASE SHALL THERE BE THAN TWO (2) SEPARATORS BETWEEN LAYERS OF BARS
- 5. MINIMUM CONCRETE PROTECTION FOR REINFORCING BARS OR STEEL SHAPES SHALL BE AS SHOWN IN FIGURE 8-2



TYP, DET, FOR SLEEVES THRU CONCRETE BEAM



TYP. DET. FOR SLEEVES THRU CONCRETE BEAM FIG, B-3

- 6. WHEN A BEAM CROSSES A GIRDER, REST BEAM ON TOP OF GIRDER BARS, BEAM REINFORCING BARS SHALL BE SYMMETRICAL ABOUT THE CENTER LINE WHENEVER POSSIBLE.
- 7. GENERALLY, NO SPLICES SHALL BE PERMITTED AT POINTS WHERE CRITICAL BENDING STRESSES OCCUR, SPLICES WHERE SO PERMITTED SHALL BE INDICATED IN TABLE 'A' AND 'B'. WELDED SPLICES SHALL DEVELOP IN TENSION AT LEAST 125% OF THE SPLICED YIELD STRENGTH OF THE BAR NOT MORE THAN 50% OF THE BARS AT ANY ONE SECTION IS ALLOWED TO BE SPLICED THEREIN.

NOTES ON CONCRETE HOLLOW BLOCKS WALLS


- 1. UNLESS OTHERWISE SHOWN IN PLANS ALL CONCRETE HOLLOW BLOCKS AND CERAMIC BLOCKS SHALL BE REINFORCED AS SHOWN IN THE SCHEDULE OF CONCRETE HOLLOW BLOCKS AND CERAMIC BLOCK REINFORCEMENT.
- 2. PROVIDE 150mm x 300mm STIFFENER COLUMN REINFORCED WITH 4-12mm WITH 10mm Ø TIES AT 150mm ON CENTER WHERE CONCRETE HOLLOW BLOCK TERMINATES AND AT EVERY 3.0M LENGTH OF CONCRETE HOLLOW BLOCK WALLS UNLESS NOTED IN STRUCTURAL PLANS.

DVI	1E2 ON CONCRETE I	IOFFOM BFOCKS A	VALLS REINFORCEMENTS		
BLOCK THICKNESS	REINFORCE	MENT	NOTES		
	HORIZONTAL.	LAPPED	A. MINIMUM LAPS AT SPLICE= 0.25 M		
100 mm	12mm Ø EVERY 3RD LEVEL	12mm Ø @ 600mm O.C.	B. PROVIDE RIGHT ANGLED REINFORCEMEN		
125 mm	12mm Ø EVERY 3RD LEVEL	12mm Ø @ 600mm O.C.	AT CORNERS 0.92 m LONG C.WHERE CHB OR CER. BLK. WALL DOWELS		
150nm	12mm Ø EVERY 3RD LEVEL	12mm Ø @ 600mm O.C.	WITH THE SAME SIZE AS VER, OR HOR. REINFORCEMENT SHALL BE PROVIDED		
200 mm	12mm Ø EVERY 3RD LEVEL	12mm Ø @ 600mm O.C.	REINFORCEMENT SHALL BE PROVIDED		


REINFORCING CONCRETE LINTEL BEAMS IN CONCRETE BLOCK WALLS

LINTELS IN BLOCK WALLS									
CLEAR SPAN	TOTAL LENGTH	MIN.	HEIGHT OF	REINFORCEMENT					
(L)	(L+0.40M)	(MPa)	(mm)	BOTTOM	TOP	STIRRUPS			
1 20 M	1 60 M		200	1-010	1-2710	26 ஏரு இ 200mm			
1 50 M	190M	140	200	1-Ø10	1-Ø10	98 mm @ 200mm			
1 60 M	2.20 M		200	1-Ø12	1-010	9% mm @ 200mm			
2 10 %	2 50 M		250	1-812	1-010	Ø6 mm @ 200mm			
2,4014	29014	170	250	1-012	1-210	Ø6 mm @ 200mm			
27014	3 10 M		250	1-016	1-012	Ø90តកា @ 200mm			
30014	3 49 14		360	1-016	1-012	Ø10tras @ 200mm			
333M	370M	200	300	1-015	1-912	@10mm @ 200nm			
360 M	4 00 M		300	1-020	1-012	Ø10mm @ 200mm			


12 THK, EXPANSION JOINT WITH MASTIC FILLER




TYPICAL CONNECTION DETAIL OF MASONRY WALL




TYP. DET. OF LINTEL BEAM AT CHB WALL OPENING










TYPICAL CHB FOOTING DETAILS (WHERE APPLICABLE)



TYPICAL DETAIL FOR BEAM OR SLAB CHANGE SOFFIT

TYPICAL CONNECTION DETAIL OF R.C. WALL AT CORNERS

NOTES ON WELDS

1. USE E60xx ELECTRODES FOR ALL MEMBERS WELDED. 2. WELDS SHALL DEVELOP THE FULL STRENGTH OF MEMBERS JOINED UNLESS OTHERWISE SHOWN OR DETAILED IN THE DRAWINGS.

NOTES ON STRUCTURAL STEEL


- 1. STRUCTURAL STEEL TO BE USED FOR FABRICATION AND ERECTION OF THIS STRUCTURE SHALL COMPLY WITH ALL THE PERTINENT PROVISION OF AISC SPECIFICATION FOR THE DESIGN, FABRICATION AND ERECTION OF STRUCTURAL STEEL FOR BUILDING LATEST EDITION,
- 2. ALL STRUCTURAL STEEL SHAPES SHALL CONFORM TO ASTM A36 STRUCTURAL STEEL UNLESS OTHERWISE INDICATED.
- 3. ALL WELDED CONNECTIONS SHALL DEVELOP THE FULL STRENGTH OF THE MEMBERS CONNECTED.
- 4. UNLESS OTHERWISE SPECIFIED ALL WELDING RODS SHALL CONFORM WITH E60 FLECTRODES
- 5. ALL BOLTS USED UNLESS OTHERWISE SPECIFIED SHALL BE ASTM A 307 BOLTS.

NOTES ON EMBEDDED PIPES

- 1. ALL EMBEDDED PIPES FOR UTILITIES ETC, THAT PASS THRU BEAMS SHALL NOT EXCEED 100mm IN DIAMETER OR 1/3 BEAM DEPTH WHICHEVER IS LESS, UNLESS OTHERWISE APPROVED IN WRITING BY THE STRUCTURAL ENGINEER.
- 2. NO PIPES SHALL BE ALLOWED TO PASS THRU BEAMS VERTICALLY. 3. NO PIPES SHALL BE EMBEDDED IN COLUMNS.

NOTES ON CONSTRUCTION JOINTS IN CONCRETE

1. WHERE A CONSTRUCTION JOINT IS TO BE MADE, THE SURFACE OF CONCRETE SHALL BE CLEANED AND ALL LAITANCE AND STANDING WATER REMOVED SHEAR KEY SHALL BE PROVIDE AT THE JOINT.



TYPICAL SLAB & BEAM CONSTRUCTION JOINT DET.


NOTES ON CONCRETE WALLS

1. ALL WALLS SHALL BE REINFORCED ACCORDING TO THE FOLLOWING SCHEDULE OF WALL REINFORCEMENT UNLESS OTHERWISE INDICATED IN THE PLANS

WALL		REINFORCEMENT		MEDTICAL
THICKNESS	HORIZONTAL	VERTICAL	REMARKS	VERTICAL SECTION
100mm	Ø12mm @ 600mm O.C.	Ø12mm @ 600mm O.C.	HORIZONTAL BARS	
125mm	Ø12mm @ 600mm O.C.	Ø12mm @ 600mm O.C.	AT CENTERS VERTICAL	VER BARS
150mm	Ø12mm @ 600mm O.C.	Ø12mm @ 600mm O.C.	BARS STAGGERED OUT	HOR. BARS

REINFORCING BARS SHALL HAVE 25inm CLEAR CONCRETE COVER FROM FACE OF WALL EXCEPT FOR WALLS IN CONTACT WITH THE GROUND WHERE A MINIMUM OF 60mm SHALL BE PROVIDED AND FOR EXPOSED FACES OF FORMED WALLS WHERE THE MINIMUM SHALL BE 50mm CLEAR

- 2. CARRY VERTICAL BARS AT LEAST 60mm ABOVE FLOOR LEVEL TO PROVIDE FOR SPLICES WHEN NECESSARY STOP AT 50mm BELOW TOP SLAB OR SOLID BAND WHERE THE WALL ENDS VERTICAL AND HORIZONTAL BARS SHALL BE SPLICED BY LAPPING A DISTANCE EQUAL TO 30 DIAMETERS AND WIRED SECURELY WITH 16 G.I. WIRE PROVIDED THAT SPLICES IN ADJACENT BARS ARE STAGGERED AT LEAST 1.50M O.C.
- 3. UNLESS OTHERWISE NOTED IN THE PLANS, ALL OPENINGS IN WALLS 250mm OR THICKER SHALL BE REINFORCED AROUND WITH 2-20mm@ BARS. FOR 225mm, 200mm, 175mm, 150mm THICK WALLS, USE 2-16mm@. FOR 125mm AND 100mm THICK WALLS, USE 2-12mmØ BARS. ALL WALLS SPANNING SHALL HAVE VERTICAL REINFORCEMENT BENT A U-FORM LIKE STIRRUPS AND SPACED ACCORDING TO THE SCHEDULE UNLESS OTHERWISE NOTED.



APPROVED BY:

NOTES ON STIRRUPS

.1. ALL REINFORCEMENT SHALL BE BENT COLD UNLESS .
OTHERWISE PERMITTED BY THE STRUCTURAL ENGINEER.

180" HOOK

95 125 176 250

115 150 290 300

150 200 230 450

189° HOCK

D+2d) L

H5 300 H65 300

16 mm Ø 65 200 I40 150

28 mm Ø 240 300 350 550

32 mm Ø 300 335 450 600

150

D+2db

60 75 125

2. AS SHOWN IN THE DESIGN DRAWINGS OR

20 mm Ø

PERMITTED BY THE STRUCTURAL ENGINEER 3. TIES & CLOSE STIRRUPS MUST BE AT 135.

NOTE

SEE ARCHITECTURAL & MECHANICAL PLANS FOR SLAB OPENING LOCATION



TYP. EXTERIOR WDW. & DOOR OPENING



REPUBLIC OF THE PHILIPPINES PROVINCIAL ENGINEER'S OFFICE SAN AGUSTIN, DIGOS CITY, DAVAO DEL SUR

REPAIR/ IMPROVEMENT OF PROVINCIAL REHABILITATION CENTER

CAPITOL COMPOUND, MATTI, DIGOS CITY, DAVAO DEL SUR



PREPARED BY

ENGINEER - III

JØSEPH R. GONZALES


LEONERY MARCH P SUARIO


RECOMMENDIA


YVONNE ROMA CAGAS

S-2

SHEET NO.:









REPUBLIC OF THE PHILIPPINES PROVINCIAL ENGINEER'S OFFICE SAN AGUSTIN, DIGOS CITY, DAVAO DEL SUR

ROJECT TITLE:

REPAIR/ IMPROVEMENT OF PROVINCIAL REHABILITATION CENTER

CAPITOL COMPOUND, MATTI, DIGOS CITY, DAVAO DEL SUR



PREPARED BY:

JOSEPH R. GONZALES


REVIEWED/B


LEONERI MARCH P SUARIO

APPROVED BY:


S-3

SHEET NO.;







GENERAL NOTES LEGEND 2,00 -1.) ALL WATER LINES SHALL BE SCHED, 3/4Ø PPR PIPE. WC - WATER CLOSET 2.) ALL WATER PIPE LINES SHALL BE TESTED @ 130 PSI FOR THE PERIOD OF TWO HOURS BEFORE COVERING. (PAIL FLUSH TYPE) 3.) ALL SANITARY DRAINAGE LINE SHALL HAVE A MINIMUM CO - CLEAN OUT SLOPE OF 2 PERCENT. MANHOLE 4.) ALL WASTE PIPE LINES SHALL BE OF SERIES - 1000 PVC PIPES MANHOLE OUTLET - FAUCET (stainless) 2.00 5.) ALL PLUMBING INSTALLATION SHALL BE IN DIRECT INLET 🖒 500 x500 mi 500 x500 mm 500 x500 mm SUPERVISION OF A MASTER PLUMBER. - FLOOR DRAIN (stainless) 6.) WATER AND DRAINAGE LINE LAYOUT IN THE PLAN ARE JUST SCHEMATIC, ACTUAL LAYOUT SHALL BE DONE AND - PLUMBING VENT DETERMINE IN THE FIELD. - WATER METER GV - GATE VALVE 100mm THK. CONCRETE SLAB W/ 10mm Ø REBARS SP. AS SHOWN - WASTE PIPE LINE SEPTIC VAULT DETALS (PLAN) - WATER LINE 0 . 3 Ø PPR PIPE WATER SUPPLY 4" Ø PVC PIPE (S-1000) -1.301.25 CELL NO. 7 CELL NO. 8 CELL NO. 9 PLUMBING LAY-OUT SCALE NTS PREPARED BY: REVIEWED B RECOMMENDING APPROVAL: APPROVED BY: SHEET NO.; REPUBLIC OF THE PHILIPPINES REPAIR/ IMPROVEMENT OF P-1 PROVINCIAL ENGINEER'S OFFICE PROVINCIAL REHABILITATION CENTER YVOINE ROÑA CAGAS PROVINCIAL GOVERNOR SAN AGUSTIN, DIGOS CITY, DAVAO DEL SUR FRANKLIN N. ISLA III JOSEPH R. GONZALES LOCATION: LEONERL MARCH P SUARIO ENGINEER JII PLANNING AND PROGRAMMING DIV. HEAD 16 11 CAPITOL COMPOUND, MATTI, DIGOS CITY, DAVAO DEL SUR ENGINEERING ASSISTANT



LEGEND



SITE ELECTRICAL LAYOUT



NOTES AND SPECIFICATION

All Electrical Installations herein shall be in accordance with the Latest Rules & Regulations of the Philippine Electrical Code and the Local Power Company.

All Electrical materials to be installed herein must be brand new and of approved type

Wirings passing through concrete masonry, ceilings, columns, beams, slabs must be concealed type using PVC Pipe or Flexible Pipe.


Whenever Necessary, Pull Box of Proper Sizes and Dimensions shall be provided. Although not indicated in the Plan.

Provide Circuit Directory to be located inside the Panelboard for Circuit Identification.

Mounting Heights above Finish Floor Line

Switches	1.37m	Center
Panelboard	1.83m	Center
Kilowatt-Hour Meter	1.83m	Center
Convenience Outlet	0.30m	Bottom

All Electrical works herein must be done only under the direct supervision of a duly registered Electrical Engineer or Master Electrician.





APPROVED BY



REPUBLIC OF THE PHILIPPINES PROVINCIAL ENGINEER'S OFFICE SAN AGUSTIN, DIGOS CITY, DAVAO DEL SUR

ROJECT TITLE:

REPAIR/ IMPROVEMENT OF PROVINCIAL REHABILITATION CENTER

CAPITOL COMPOUND, MATTI, DIGOS CITY, DAVAO DEL SUR

CHRISTIAN RODE, DUMASIG

REPARED BY:


REVIEWED BY

JOSEPH R. GONZALES

E-1

16

RECOMMENDIN



SCHEDULE OF LOAD. (PB1)

CIRCUIT NO.	DESCRIPTION	QUANTITY	VOLTAGE	VOLT-AMPERE	CURRENT (AMPERE)	CIRCUIT BREAKER	CONDUCTOR SIZE	CONDUIT SIZE
C1	LIGHTING OUTLET (LED BULB & FLOODLIGHT)	3	230	300	1.3	20 A	2 - 3,5mm² THHN Stranded Copper Wire	20mm Ø PVC
C2	GONVENIENCE OUTLET -	1	230	180	0.78	20 A -	-23.5mm² THHN Stranded Capper Wire	20mm Ø PVG
СЗ	SPARE		230	300		20 A		
	MAIN			780		40 A	2 - 8.0mm² THW Stranded Copper Wire	25mm Ø RSC

COMPUTATION

 I_L = Total Volt-Amp x 85% Demand Factor

 $I_L = 780 \times 85\%$ Demand Factor

 $l_L = 2.88 A$

 $I_{CKT} = |_{L} \times 125\%$

 $I_{CKT} = 2.88 \times 125\%$

 $I_{CKT} = 3.6 A$

USE

2 - 8.0mm² THW Stranded Copper Wire

inside 25mm Ø RSC

40 AT, 240V, 2P, 60 Hz As Main Circuit Breaker

SCHEDULE OF LOADS (PB2)

CIRCUIT NO.	DESCRIPTION	QUANTITY	VOLTAGE	VOLT-AMPERE	CURRENT (AMPERE)	CIRCUIT BREAKER	CONDUCTOR SIZE	CONDUIT SIZE
C1	LIGHTING OUTLET (LED WITH BATTEN)	8	230	800	3.48	20 A	2 - 3.5mm² THHN Stranded Copper Wire	20mm Ø PVC
C2	LIGHTING OUTLET (LED WITH BATTEN)	8	230	800	3,48	20 A	2 - 3.5mm² THHN Stranded Copper Wire	20mm Ø PVC
C3	LIGHTING OUTLET (LED WITH BATTEN)	8	230	800	3.48	20 A	2 - 3,5mm² THHN Stranded Copper Wire	20mm Ø PVC
C4	CONVENIENCE OUTLET	6	230	1,080	4.7	20 A	2 - 3.5mm² THHN Stranded Copper Wire	20mm Ø PVC
C5	SPARE	1	230	800	3.48	20 A		
	MAIN			4,280		60 A	2 - 14,0mm² THW Stranded Copper Wire	25mm Ø RSC

COMPUTATION

I_L = <u>Total Volt-Amp</u> x 85% Demand Factor

 $I_L = 4,280 \times 85\%$ Demand Factor

 $I_L = 15.82 A$

USE

2 - 14mm² THW Stranded Copper Wire inside 25mm Ø RSC

60 AT, 240V, 2P, 60 Hz As Main Circuit Breaker

 $I_{CKT} = I_{L} \times 125\%$

= 15.28 x 125%

 $I_{CKT} = 19.77 A$

PROJECT TITLE;

REPAIR/ IMPROVEMENT OF PROVINCIAL REHABILITATION CENTER

CAPITOL COMPOUND, MATTI, DIGOS CITY, DAVAO DEL SUR

JOSEPH R. GONZALES

LEONERL MARCH P SUARIO

RECOMMENDING APPROVAL:

E-3

REPUBLIC OF THE PHILIPPINES PROVINCIAL ENGINEER'S OFFICE SAN AGUSTIN, DIGOS CITY, DAVAO DEL SUR

REPARED BY:

ENGINEER - III PLANNING AND PROGRAMMING DIV. HEAD

SINGLE LINE DIAGRAM

-2 - 8,0mm² THW Stranded

Copper Wire inside

25mm Ø RSC

PB1

SERVICE ENTRANCE

-Kilowatt-hour Meter Base

EXISTING

MAIN DISTRIBUTION

PANELBOARD

YVOME ROWA CAGAS

EXISTING

SYSTEM

-2 - 14mm² THW Stranded Copper Wire inside

25mm Ø RSC


PB2


(Weatherproof Panelboard

located at Roof Deck)

15 | 16

DIGITAL PRINTED TARPAULIN PLACED
5MM THK. x 1.2M x 2.4M ORDINARY PLY
WOODEN FRAME.
(COA PROJECT BILLBOARD STANDARD) 3HEETS





ITEM NO.	DESCRIPTION	QTY.	UNIT
PART B	OTHER GENERAL REQUIREMENTS		
B.3	Permits and Clearances	1.00	l.s.
B.5	Project Billboard/ Signboard	1.00	each
B.7	Occupational Safety and Health	1.00	l.s.
B,9	Mobilization/ Demobilization	1.00	l.s.
	EARTHWORK		
801 (1)	Removal of Structures and Obstruction	1.00	l.s.
803 (1)a	Structure Excavation (Common Soil)	4.80	cu.m.
804 (4)	Gravel Fill		
	REINFORCED CONCRETE		
900 (1)c	Structural Concrete ,Class A, 3000 psi, 28 days	51.99	cu.m.
	Reinforcing Steel (Deformed) Grade 40	2,798.08	kg.
903 (2)	Formworks and Falseworks	51.72	sq.m.
	FINISHINGS AND OTHER CIVIL WORKS		
1046(2)a1	CHB Non Load Bearing (including Reinforcing Steel),100 mm	60.90	sq.m.
1027 (1)	Cement Plaster Finish	233.37	sq.m.
1001 (9)	Storm Drainage & Downspout	1.00	l.s.
1001 (11)	Septic Vault/ Tank, Concrete/CHB	1.00	l.s.
1002 (4)	Plumbing Fixtures	1.00	l.s.
1003(17)	Carpentry and Joinery Works	1.00	l.s.
1033(1)	Metal Deck Panel	321.71	ln.m.
1014(1)b2	Pre-painted Metal Sheets, above 0.427mm., Rib Type, Long Span	7.84	sq.m.
1047(1)	Structural Steel	1.00	l.s.
1047(8)	Structural Steel, Roof Framing	1.00	l.s.
1032(1)a	Painting Works, Masonry/Concrete	771.43	sq.m.
1032(1)c	Painting Works, Steel	43.96	sq.m.
PART F	ELECTRICALS		
1100 (10)	Conduits, Boxes & Fittings (Conduit Works/Conduit Rough-In)	1.00	l.s.
1101(33)	Wires and Wiring Devices	1.00	l.s.
1102 (1)	Panelboard with Main & Branch Breakers	1.00	l.s.
1103 (1)	Lighting Fixtures	1.00	l.s.

RECOMMENDING APPROVAL:

SUMMARY OF QUANTITIES

PROJECT BILLBOARD DETAIL

0-1 SCALE

1:40 M.

REPAIR/ IMPROVEMENT OF PROVINCIAL REHABILITATION CENTER

FRANKLIN N. ISLA III PNGINEERING ASSISTANT

PREPARED BY:

JOSEPH R. GONZALES ENGINEER - IN ANNING AND PROGRAMMING DIV. HEAD

REVIEWED BY:

LEONERY MARCH P SUARIO PROVINCIAL ENGINEER

APPROVED BY: YVONUE ROBA CAGAS
PROVINCIAL GOVERNOR SHEET NO.: 0-1

16 | 16

REPUBLIC OF THE PHILIPPINES PROVINCIAL ENGINEER'S OFFICE SAN AGUSTIN, DIGOS CITY, DAVAO DEL SUR

CAPITOL COMPOUND, MATTI, DIGOS CITY, DAVAO DEL SUR

SECTION VIII.

[See attached file.]

 \mathcal{I}

Republic of the Philippines PROVINCE OF DAVAO DEL SUR PROVINCIAL ENGINEER'S OFFICE Sannaguath, Digos City

4

BILL OF QUANTITIES

Contract Name Location of the Contract Project Duration REPAIR/ IMPROVEMENT OF PROVINCIAL REHABILITATION CENTER
CAPITOL COMPOUND, MATTI, DIGOS CITY, DAVAO DEL SUR
60 CALENDAR DAYS

SUMMARY OF BID PRICES (All Parts of Bill of Quantities)

- Part No. Enter the "Part No." for each section of the Bill of Quantities (BOQ) where unit prices are entered.
 Part Description Enter the "Part Description" corresponding to the "Part No."
 Total Amount Enter the "total amount" in Pesos for all pages having the same "Part Description".
 Adopting Green Procurement Policy by SBAC Resolution No. 140 series of 2019.

Signad	Name :		Total of All Amounts in Words: PESOS		1103 (1) Lighting Fixtures	1102 (1) Panelboard with Main & Branch Breakers	1101(33) Wires and Wiring Devices					٦				_		-			900 (1)c Structural Concrete , Class A, 3000 psi, 28 days			801 (1) Removal of Structures and Obstruction	B.9 Mobilization/ Demobilization	B.7 Occupational Safety and Health	B.5 Project Billboard/ Signboard	B.3 Permits and Clearances		Contract ID:
Date	In capacity of	and		Total of All Amounts P		(ers		orks/Conduit Rough-In)		The state of the s		7mm., Rib Type, Long Span					 The state of the s	forcing Steel),100 mm	W		28 days			7	THE PROPERTY OF THE PROPERTY O		***************************************		Part Description	
		centavos				0	0 1				P	0	ρ'	P	ם			P	P	יסר	P	p	Q	P	P	P	P	P	Total Amount	

Contract Name	Contract :	PROVEME	NT OF PRO	REPAIR/ IMPROVEMENT OF PROVINCIAL REHABILITATION CENTER CAPITOL COMPOUND, MATTI, DIGOS CITY, DAVAO DEL SUR	
Project D		AR DAYS	<u></u>	OE OHANTITIES	
Part No.			BIL	BILL OF QUANTITIES	
Pay Item No.	Description	Unit	Quantity	Unit Price (Pesos)	Amount (Pesos)
E -	Dormite and Clearances	is a	1.00	In words:	In words:
				In figures:	In figures:
					444
B.5	Project Billboard/ Signboard	each	1.00	In words:	In words:
			\		
				In figures:	In figures:
B.7	Occupational Safety and Health	l.s.	1.00	in words:	In words:
			Ì		
-				In figures:	In figures:
B.9	Mobilization/ Demobilization	i.s.	1.00	In words:	In words:
			1	In flavour.	In figures:
801 (1)	Removal of Structures and Obstruction	ķ	1.00	In words:	In words:
			\		
				In figures:	In figures:
803 (1)a	Structure Excavation (Common Soil)	cu.m.	4.80	In words:	In words:
			1		
				In figures:	In figures:
Submitted by:	by:				
Name of th	Name of the Representative of the Bidder		1	Date :	the state of the s
Position			'		

Name of Bidder

Contract Name		ROVEME	NT OF PROV	: REPAIR/ IMPROVEMENT OF PROVINCIAL REHABILITATION CENTER	
Location of the C Project Duration	ontract :	MPOUND, R DAYS	MATTI, DIG	CAPITOL COMPOUND, MATTI, DIGOS CITY, DAVAO DEL SUR 60 CALENDAR DAYS	
			ВІЦ	BILL OF QUANTITIES	
Part No.	164				
Pay Item No.	Description	Unit	Quantity	Unit Price (Pesos)	Amount (Pesos)
r	2	w	4	C.	
804 (4)	Gravei Fill	cu.m.	8.40	In words:	In words:
			1	In figures:	In figures:
900 (1)c	Structural Concrete ,Class A, 3000 psi, 28	cu.m.	51.99	In words:	In words:
	Cays				
				In figures:	In figures:
902 (1)a1	Reinforcing Steel (Deformed) Grade 40	œ.	2,798.08	In words:	In words:
			./		and a constant of the constant
				In figures:	In figures:
903 (2)	Formworks and Falseworks	sq.m.	51.72	in words:	In words:
			1		
				In figures:	In figures:
1046(2)a1	1046(2)a1 CHB Non Load Bearing (including	sq.m.	60.90	In words:	In words:
	Reinforcing Steel), 100 mm		34		
				In figures:	In figures:
1077 (1)	Omest Dister Sinish	sq.m.	233.37	In words:	In words:
T027 (T)	Celligit Flasker History		\		
				In figures:	In figures:
Submitted by:	by:				
			ľ	Date :	
Name of th	Name of the Representative of the Bidder				
Position			1		
Name of Bidder	idder		1		

Contract Name : REPAIR/ IN	1PROVEME	NT OF PRO	: REPAIR/ IMPROVEMENT OF PROVINCIAL REHABILITATION CENTER	
Location of the Contract : CAPITOL C Project Duration : 60 CALEND	AR DAYS	, MATTI, DI	CAPITOL COMPOUND, MATTI, DIGOS CITY, DAVAO DEL SUR : 60 CALENDAR DAYS	
		BIL	BILL OF QUANTITIES	
Part No.	'			
Pay Description	Unit	Quantity	Unit Price (Pesos)	Amount (Pesos)
1 2	ω	4		
1001 (9) Storm Drainage & Downspout	ζ	1.00	In words:	In words:

		ومسرر	-in figures:	In figures:
1001 (11) Septic Vault/ Tank, Concrete/CHB	Ī.s.	1.00	In words:	in words:

			In figures:	In figures:
1002 (4) Plumbing Fixtures	l.s.	1,00	In words:	In words:
				4
		{	în figures:	In figures:
	,			
1003(17) Carpentry and Joinery Works	Ņ	1.00	In words:	In words:
		\		
		\	In figures:	In figures:
1 1 1 2 1				
1033(1) Metal Deck Panel	ln.m.	321.71	In words:	In words:
		- N		
			in figures:	In figures:
1014(1)b2 Pre-painted Metal Sheets, above	sq.m.	7.84	in words:	In words:
0.427mm., Rib Type, Long Span				
			In figures:	In figures:
Submitted by:				
		l	Date :	
Name of the Representative of the Bidder				
Position		I		
		I		

Name of Bidder

Contract Name Location of the Contract Project Duration		VIPOUND R DAYS	, MATTI, DIG	CAPITOL COMPOUND, MATTI, DIGOS CITY, DAVAO DEL SUR 60 CALENDAR DAYS	
			BILI	BILL OF QUANTITIES	
Part No.	Description	Unit	Quantity	Unit Price	Amount
Item No.	2	w	4	(resos)	9
1	Structural Steel	<u>'è</u>	1.00	In words:	In words:
			1		1100000
				In figures:	In figures:
1047(8) Structu	Structural Steel, Roof Framing	l.s.	1,00	In words:	In words:
			\		
				In figures:	In figures:
1032(1)a Paintín	Painting Works, Wasonry/Concrete	sq.m.	771.43	in words:	In words:
			1		
				In figures:	In figures:
1032(1)c Paintir	Painting Works, Steel	sq.m.	43.96	in words:	in words:
	,			In figures:	In figures:
1100 (10) Condu	Conduits, Boxes & Fittings (Conduit	خا	1.00	in words:	In words:
Works	/Conduit Rough-In]		\		
				In figures:	In figures:
1101(33) Wires	1101(33) Wires and Wiring Devices	<u>.s.</u>	1.00	in words:	in words:
				In figures:	In figures:
Submitted by:				Date :	
Name of the Repre	Name of the Representative of the Bidder		1		
Position			l		

Name of Bidder

,					
3			٠		
Contract Name	: REPAIR/ IMP	ROVEME	VT OF PROV	REPAIR/ IMPROVEMENT OF PROVINCIAL REHABILITATION CENTER	
Location of the Contract Project Duration	: CAPITOL COMPOUN	APOUND,	МАПІ, ВІС	CAPITOL COMPOUND, MATTI, DIGOS CITY, DAVAO DEL SUR 60 CALENDAR DAYS	
			BILL	BILL OF QUANTITIES	
Part No.					
	Description	Unit	Quantity	Unit Price (Pesos)	Amount (Pesos)
item No.	2	ω	4	ts.	6
1102 (1) Panelboard with Main & Branch	Main & Branch	i.s.	1.00	In words:	In words:
			1		
				In figures:	In figures:
					444
1103 (1) Lighting Fixtures		i.s.	1.00	In words:	In words:
			\ 		
				In figures:	In figures:
Submitted by:					
Name of the Representative of the Bidder	of the Bidder			Date :	

SECTION IX.

AND FINANCIAL DOCUMENTS CH内CKLLST OF TECHNICAL

T

REMENT M AGEMENT m

 \widetilde{C}_{0} Mobile Nos. 0905-229-0526/0908-332-2024 (Goods), 0948-768-5848 (Infra) Teletax: (082) 553-9579 Website: www.davaodelsur.gov.ph/pgo-bac

AUS 13

CHECKLIST-CIVIL

Email Add.: bac.davaodelsyr2@gmail.com/sbacdavaodelsyr@gmail.com

IB No:		Opening of Bids:
Name of Project/Brief	Name of Project/Brief Description of Goods:	
PR:	Dated:	ABC End User:
Name of Contractor/Supplier	Supplier:	
Address:		The state of the s
Contact Number:		ALLEGORISH CONTRACTOR
ENVELOPE 1- ELIGI	ENVELOPE 1- ELIGIBILITY DOCUMENTS/TECHNICAL	NICAL
	. Class "A" Documents	SS
Legal Documents		· · · · · · · · · · · · · · · · · · ·
a		Valid PhilGEPS Registration Certificate (Platinum Membership) with itscorresponding Annex A.
Technical Documents	- 1	Statement of the prospective bidder of all its on-going government and private contracts, including
		contracts awarded but not yet started (7 calendar days before the bid opening), if any, whether contracts awarded but not yet started (7 calendar days before the bid opening), if any, whether similar or not similar in nature and complexity to the contract to be bid with supporting documents such as Notice of Award and/or Contract, Notice to Proceed, and Certificate of Accomplishment or Statement of Time Elapsed and Work Accomplished.
	c. Statement of the bidder's for the last (3) years, and	Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid for the last (3) years, and whose value, adjusted to current prices using the PSA consumer price in the last (3) years, and whose value, adjusted to current prices using the PSA consumer price in the last (3) years, and whose value, adjusted to current prices using the PSA consumer prices.
	under Small A and Sma	under Small A and Small B categories without similar experience on the contract to be bid may be
	allowed to bid it the cos (ARCC) of their registra	allowed to bid if the cost of such contract is not line unait the recovering the received cost of such contract is not line unait the recovering the recall this Statement (ARCC) of their registration based on the guidelines as prescribed by the PCAB. This Statement
	must be supported win Acceptance or inspec	must be supported with the following: Contract/ Purchase Order, Certificate of Completion/ Acceptance or Inspection Report or Official Receipt, Validated Contractors/Constructors
	1	Performance Evaluation System (CPES) in DPWH website.
	 d. Valid Philippine Contract Joint Ventures, and Reg 	Joint Ventures, and Registration for the type and cost of the contract to be bid.
Financial Documents		The state of Not Einspeid Controlling Canacity (NECC) However in the
	e. The prospective bidders case of procurement of Commercial Bank, in lieu	case of procurement of Goods, a bidder may submit a committed Line of Credit from a Universal or Commercial Bank, in lieu of its NFCC computation. (Note: K=15)
	2 Class "B" Documents	
· · · · · · · · · · · · · · · · · · ·	a. For Infras	For Infrastructure Projects, Joint Venture bidders shall submit a Joint Venture
		Agreement in accordance with R.A. 4566 and its IRR. Each partner of the joint venture shall submit their respective PhilGEPS Certificates of Registration in accordance with scarting 8.5.2 of this IRR. The submission of technical and financial eligibility
	document the partne	
TECHNICAL PROPOSAL	L. L	
	 Original copy of Bid Security in the form of the Graph or Cashier's/ Manager's check (2%) 	 Original copy of Bid Security in the form of the following: Cash or Cashier's/ Manager's check (2%)
		Bank Guarantee/ Draft or Irrevocable Letter of Credit (2%) Surety Bond callable upon demand (5%)
- LALVOORAN - LALV	Did Oscaling Dodgian	OIL OCCURRED LANGUAGE AND ALL OF THE PROPERTY
	2. Project Kequirements, wi a. Organizat	a. Organizational chart for the contract to be bid
	b. List of cor Engineers	List of contractor's personnel (viz., Project Manager, Project Engineers, Materials Engineers, and Foremen), to be assigned to the contract to be bid, with their complete
	qualificati	qualifications and experience data;

Duly Signed Cash Flow by Quarter and Payment Schedules	
Duly Signed Detailed Estimates	
Duly Signed Bid Prices in the Bill of Quantities	2. Duly S
Duly Signed Financial Bid Form	1. Duly S
	ENVELOPE 2- FINANCIAL PROPOSAL
	DISQUALIFIED
	QUALIFIED
Duly Notarized Certification as to Compliance to Labor Laws and Standard	• Duly I
Duly Notarized Affidavit of Site Inspection	• Duly h
Construction Safety & Health Program	• Const
Equipment Utilization	• Equip
Manpower Utilization	Manp
PM	Pert-CPM
Construction schedule and S-Curve	Const
Construction Methods	• Const
requirements as stated in the Instruction to Bidders:	requirements as s
4. Other documents/materials to comply with other non-discretionary criteria and	4. Other document
partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the bidder.	giving full powe
3. Original Duly Signed Omnibus Sworn Statement (OSS) by the prospective bidder or its duly authorized representative; and if applicable, Original Notarized Secretary's Certificate in case of a corporation,	 Original Duly Signer representative;
lessor/vendor for the duration of the project;	
ailability of equipment from	
List of contractor's equipment units, which are owned, leased, and/or under purchase	Ç.



S近CTION

- Purchase Request
- Statement of all On-going Government & Private Contracts including Contracts awarded but not yet started (Prescribed Form)
- Statement of Single Largest Completed Contract (Prescribed Form)
- Bid Securing Declaration (Prescribed Form)
- Omnibus Sworn Statement (Prescribed Form)
- 9 Bid Form (Prescribed Form)
- Resolution No. 861 Series of 2023 / Three-Strike Policy Resolution No. 052 Series of 2022
- Resolution No. 053 Series of 2022
- 20 TWG - Checklist for Bid Evaluation
- TWG Checklist for Post Qualification

PURCHASE REQUEST

PROVINCE OF DAVAO DEL SUR MATTI, DIGOS CITY

Date	Printed Name Designation	Signature		Purpose/Remarks	Charge		1 Job Order	STOCK UNIT OF	Department Section
August 24, 2023	ne LEONERL WARCH P. SUARTO Provincial Engineer	1			Charge to: Repair/ improvement of Provincial Rehabilitation Center Capitol Compound, Matti, Digos City, Davao del Sur CY 2023 Supppiemental No. 1-20% Development Fund				: PROVINCIAL ENGINEER'S OFFICE : Construction
222	Provincial Treasurer		CASH AVAII ARII ITY	For use in the REPAIR / IMPROVEMENT OF REHABILITATION CENTER located at CAPITOL COMPOUND, MATTI, DIGOS CITY, DAVAO DEL SUR	itation Center ao del Sur iopment Fund	TECHNICA TECHNICA BY: DATE:	CENTER located at CAPITOL COMPOUND, MATTI, DIGOS CITY, DAVAO DEL SUR all in accordance, to plans, specifications and scope of work and the Green Procurement Policy as adopted by Executive Order No. 30 series of 2019. XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	ITEM DESCRIPTION	
	TACA					WORKIN SPECS CON 14/27	Ь	QTY UNIT COST	PR NO. : 143-23-5 Date SAI NO. : Date
Jenna Je	Governor	INE BOMA CAGAS	APPROVED:			TECHNICAL WORKING GROUP TECHNICAL SPECS CONTROLLED BY: DATE: CR/14/27	\$ 2,000,000.00 vvvvvvv	COST TOTAL COST	23.5 Date : 09.14-23
<u></u>						and the second s	0		3

		•					
Contract (SLCC	Deteldmo	rsigest	əlb	uis	ìo	Juəl	nətaten

(Printed Name & Signature)

Certificate of Completion/Acceptance or Inspection and Acceptance Report or Official Receipts

(Similar in Nature for the Last 3 years)

:9JsG

Designation:

Submitted by:

				<u></u>			
				:			
	c)Telephone N	-		Description	%	noiterud (2	c) Date of Completion
me of Contract / stion Project Cost	a)Owner's Nar b)Address	,	Nature of Work	s'19bbi8		a) Amount at Award dipletion at Completion	behrewA sted (a betret2 sted (d
:uo	refl s'yanwOle					becaute to territorial (c	obsemb eten le

Statement of all On-going Government & Private Contracts including Contracts awarded but not yet started

d		Total Cost							
CARRY TO THE CONTRACTOR OF THE CARRY TO THE			CONTROL OF THE PROPERTY OF THE				потан-так		
WARRING PARTIES									
		1994 M.A. 002/02/09/09	ACCUMATION OF THE PROPERTY OF	· · · · · · · · · · · · · · · · · · ·				- CONTRACTOR ADDRESS	
historia susanno		2470.		MANUAL COLOR DE CONTRACTOR DE COLOR DE	ļ				Private
			THE RESERVE OF THE PROPERTY OF			7			
THE RESIDENCE OF THE PARTY OF T				Venerous R. L. C. L. Laboratoria and C. L. L. Laboratoria and C. L. L. L. Laboratoria and C. L. L. L. Laboratoria and C. L.	<u> </u>			Management and the second and the se	
A A CARLO AND	ACCOUNTS OF THE PARTY OF THE PA			· · · · · · · · · · · · · · · · · · ·				THE STATE OF THE S	Government
Portion	leutoA	Planned	c)Target Completion Date	b) Duration	%	Description	3110.00	c)Telephone No.	
Works/Undelivered	hment	silqmoəəA	b)Date Started	a) Amount at award	alo	N C IONNIA	Work	ssənbbA(d	Contract / Location
gnibnetstuO to suleV	ا	10 %	a)Date Awarded	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	٥١٥	Bidder's R	Nature of	a)Ownet's Name	Name of
				Market Market and the second and the					
									Location:
	-		IB No.		man I kana a sa			ntact :	Name of Project / Co

Note: This Statement shall be supported with:

1. Notice of Award and/or Contract

2. Notice to Proceed issued by the Procuring Entity

3. Certificate of Accomplishments signed by the owner or authorized representative

Date	
Designation	***************************************
	(Printed Name & Signature)
Submitted by	

Bid Securing Declaration Form

[shall be submitted with the Bid if bidder opts to provide this form of bid security]

CITY OF	REPUBLIC OF
	THE PHIL
	PPINES)
) S.S	

BID SECURING DECLARATION Project Identification No.: [Insert number]

To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

- I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
- Ы I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
- လ following circumstances: I/We understand that this Bid Securing Declaration shall cease Q be valid on the
- ы Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
- Þ I am/we are declared ineligible or post-disqualified upon receipt of your notice to such waiver to avail of said right; and effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a
- O I/we have furnished the performance security and signed the Contract. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this [year] at [place of execution]. day of [month]

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity] Affiant

Jurati

[Format shall be based on the latest Rules on Notarial Practice]

Omnibus Sworn Statement (Revised) [shall be submitted with the Bid]

CITY/MUNICIPALITY OF	REPUBLIC OF THE PHILIPPINES
) S.S.	ت

AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state

[Select one, delete the other:]

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

Ņ [Select one, delete the other:]

all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney; [If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and

authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certifica Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)]; [If a partnership, corporation, cooperative, or joint venture:] I am granted full power and notarized Secretary's Certificate,

- ω nave relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting: [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules been recognized by the Government Procurement Policy Board, by itself or by
- 4. therein are true and correct; authentic copy of the original, complete, Each of the documents submitted in satisfaction of the bidding requirements is and all statements and information provided ല
- Ģ [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted; representative(s) to
- Ø [Select one, delete the rest:]

rocuring a sole proprietorship: The owner or sole proprietor is not related to the Head of the ocuring Entity, members of the Bids and Awards Committee (BAC), the Technical

Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third

affinity up to the third civil degree; related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or [If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is

stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree: corporation or joint venture: J None of the officers, directors, and controlling

- 7 [Name of Bidder] complies with existing labor laws and standards; and
- ထ [Name of Bidder] is aware of and has undertaken the responsibilities compliance with the Philippine Bidding Documents, which includes: Se Ø Bidder ⋽`
- Ø
- Ö Carefully examining all of the Bidding Documents; Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
- ဂ္ဂ Making an estimate of the facilities available and needed for the contract to be bid, if any; and
- Ω Project_j. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the [Name of the
- ဖွ [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 9 the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

	WITNESS V
, Philippines.	WHEREOF, I have hereunto set my hand this
	have
	hereunto
	set
	Ę
	hand
	this
	day
	앜
	day of
	20
	ō

[Insert NAME OF BIDDER OR ITS AUTHORIZED [Insert signatory's legal capacity] REPRESENTATIVE Affiant

Jurati

[Format shall be based on the latest Rules on Notarial Practice]

Bid Form for the Procurement of Infrastructure **Projects**

[shall be submitted with the Bid]

Project Iden		
Project Identification No. :		
	Date:_	

BID FORM

To: [name and address of Procuring Entity]

acknowledged, we, the undersigned, declare that: Supplemental or Bid Bulletin Numbers examined ‡ e Philippine [insert numbers], the receipt of which is hereby duly Bidding Documents (PBDs) including ≓ e

- for the Procurement Project: [insert name of contract]; We have no reservation to the PBDs, including the Supplemental or Bid Bulletins.
- Ö We offer to execute the Works for this Contract in accordance with the PBDs;
- ဂ္ဂ The total price of our Bid in words and figures, excluding any discounts offered below is: [insert information];
- Ö information]; discounts offered and the methodology for their application are: [insert
- φ The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein and reflected in the detailed estimates,
- \rightarrow Our Bid shall be valid within the a period stated in the PBDs, and it shall remain binding upon us at any time before the expiration of that period;
- Ċ If our Bid is accepted, we commit to obtain a Performance Security in the amount of *[insert percentage amount]* percent of the Contract Price for the due performance of the Contract, or a Performance Securing Declaration in lieu of the allowable forms of Performance Security, subject to the terms and conditions of issued GPPB guidelines for this purpose
- ⋽ We are not participating, as Bidders, in more than one Bid in this bidding process, other than alternative offers in accordance with the Bidding Documents;
- ;***************** We understand that this Bid, together with your written us, until a formal Contract is prepared and executed; and included in your notification of award, shall constitute a binding contract between acceptance thereof
- Ļ. We understand that you are not bound to accept the Lowest Calculated Bid or other Bid that you may receive
- ᅎ likewise certify/confirm that the undersigned, S) Ħ e duly authorized

¹ currently based on GPPB Resolution No. 09-2020

representative of the bidder, and granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for the [Name of Project] of the [Name of the Procuring Entity].

including the Bill of Quantities, shall be a ground for the rejection of our bid.	We acknowledge that failure to sign each and every page of this Bid Form
ğ	that
antities,	failure
SH.	Q,
all be	sign
a grou	each
at bur	and
or the r	every
ejectio	page
O	₫
four	this
bid.	Bid
	Form

Name:
Legal Capacity:
Oğuaku.
Duly authorized to sign the Bid for and behalf of:





NOTEL TOWNS

INFRASTRUCTURE PROJECTS OF THE PROVINCIAL GOVERNMENT OF PROCUREWENT RECOMMENDING HINDONY RONA CAGAS Ç J CONTRACTS TO ADOPT THE AMENDED 3-STRIKE ONTRACTS FOR GOODS AND S ZMAD Ī PROCURING "ALLINI SHOLANDS. POLICY IN THE COVERNOR DAVAO

failures of biddings due to constant errors committed by the participating Bidders in the submission Conference and the Instruction to Bidders; VIERRIAS, <u>Q</u>, their bidding documents the Provincial Government of Davao del Sur encounters several despite of **\$**

hereby issued pertaining to the implementation of the 3-Strike Policy of the Provincial the Bids and Awards Committee unanimously agreed that the following instructions are Government of Davao del Sur against violations of Section 69 of the IRR of RA 9184; WHEREAS, to further strengthen the integrity of the competitive bidding process,

follows: The provision of Section 69.1 of the said IRR, pertaining to the 3-Strike Policy the Provincial Government of Davao de SES. (J) hereby reiterated as

"In addition to the provisions of Rules XXI and XXII of this IRR, the Head of shall impose where applicable, for the following violations: 69.1.i All other acts that tend to competitive bidding being undertaken by the years for the second suspension for one (1) year for the first offense, and suspension of two (2) from bidding, submitting late Bids or patently insufficient bid, for at least three process, (3) times within a year, except for valid reasons. defeat the purpose of the competitive bidding, such as habitually withdrawing Procuring Entity, (V) on bidders or prospective bidders, the administrative penalty of Hear (X) subject to the authority delegated to the offense from disqualification participating in the competitive from further participating Procuring Entity concerned bidding if any,

- Ŋ the purpose of competitive bidding, are hereby clarified to read as follows: The violations enumerated which are considered as acts that tend to defeat
- Non-submission of post-qualification and other requirements prescribed period as specified in the notice issued by the BAC; within the
- T Submission of eligibility requirements falsified documents. containing information õ
- 0 Submission of Bids that contain false or the concealment of such information in the Bids in order to influence the outcome <u>O</u>, eligibility screening, or yng information or falsified documents, other stage of the

L

X-X-X-X-X-X-X-X-X-X-X-X-X-X-X

- Allowing purposes of competitive bidding. the use of one's name, or using the name <u>Q</u> another
- ٩ Refusal to accept an award, or enter into contract with the Government without justifiable cause, after he had been adjudged as having submitted the Lowest Calculated Responsive Bid or Highest Rated Responsive Bid.
- ٥ prescribed time or failure to post the required performance security within the
- ٩ Termination of the contract due to the default of the bidder
- I Refusal to clarify or validate in writing its bid during post-qualification and site validation within a period of seven (7) calendar days from receipt of the request for clarification.
- CO. 75 the bidding in his favor. Any documented attempt by a bidder to unduly influence the outcome <u>,</u>
- 5 Refusal to deliver items stipulated in the Purchase Order without justifiable demand letter to deliver cause, despite receiving the said Purchase Order and despite issuance of
- T All other acts that tend to defeat the purpose of competitive bidding, such
- 1.) Withdrawing from bidding or Non-dropping of Bid Documents
- Submitting Submitting late Bids, patently insufficient bid. Patently insufficient o o
- clarified as the "total absence" of the required document.
 Refusal to receive/acknowledge notice/s issued by the Head <u>Q</u>,
- Refusal to receive/acknowledge roucers issue to Procuring Entity and/or Bids and Awards Committee receive/acknowledge
- -Habitually committing offenses that are not grounds for disqualification such as improper sealing, non-tabbing, and the like.
- ÇŞ Every time a bidder is observed to have done any of the acts enumerated under three (3) calendar days to show cause why he should not be sanctioned for Item 2 of this Resolution, the Chairperson of the BAC shall immediately issue a 3-Strike Policy of the Provincial Government of Davao del Sur; committing an act which tends to defeat the purpose of public bidding under the Show Cause Order to the erring bidder informing him of his act, and giving him
- 4 Based on the evaluation by the BAC of the bidder's response to the Show Cause Order mentioned in Item No. 3 of this Resolution, the BAC shall, within five (5) calendar days from the receipt of the bidder's response whether the bidder's act was done with or without a valid cause;
- ÇΝ The BAC Secretariat shall submit to the BAC a 3-Strike Policy Report, which, shall contain the information in Item 3 and 9 of this Resolution.

13,0

- (O) The BAC through its Secretariat shall monitor the participation of bidders in all the said policy in other offices of the Provincial Government of Davac del Sur, the 3-Strike Policy in its jurisdiction as well as of the violations by the bidder of of its projects/participations, and maintain a tally of violations by each bidder of
- All other petty defects found in the bid documents of the bidder which will not redound to defeat the purpose of Competitive Bidding shall not be a ground for the imposition of a strike, subject to the discretion of the BAC
- ĊO For the procurement of Infrastructure Projects, methods of procurement, be it Competitive Bidding or alternative methods of Policy is applicable to Competitive Bidding only, except for the following which shall also be applicable to Procurement Contracts for Goods and Services procurement. under Alternative Wethods of Procurement be applicable For the procurement of Goods and this Policy is applicable to all
- without justifiable cause, after he had been adjudged as having submitted the Lowest Calculated Responsive Bid or Highest Rated Responsive Bid. 2.e Refusal to accept an award, or enter into contract with the Government
- 2.9 Termination of the contract due to the default of the bidder
- $\hat{\mathbb{Z}}$ justifiable cause, despite receiving the said Purchase issuance of demand letter to deliver Refusal to deliver items stipulated in the Purchase Order and despite Order without
- ¢ For the sanctions to be imposed:
- bidder with the same nature of violation opened on ONE (1) STRIKE will be imposed for various IB Nos. participated by the the latter; was disqualified during post-qualification stage with the same case of
- 0 post-qualification stage with the same case of the latter; different IB Nos. HALLICE H opened on the same date, ğ different discrepancies/offenses or was disqualified during under
- For Item 2.1: Three habitual offenses are equivalent to one (1) strike
- this Resolution, calendar year Each "offense" by a bidder referred to in Section 69.1.i. of the IRR, as stated in "strikes" shall be observed in the succeeding year; Government of Davao del Sur. A Fresh Period of one (1) year in counting of consists of three violations or strikes within a period of one for all the procurements of all offices of the Provincial
- Based on the 3-Strike reports, the Bids and recommend to the Head of the Procuring Entity, administrative sanctions on the erring the 3-Strike Policy: Contractor/Supplier for the violation for approval, the following Awards Committee, shall

For the first violation or strike - a first warning.

- C, For the second strike - a second warning.
- ζ") For the third strike, which together with the first two strikes constitutes the first offense against the 3-Strike Policy – an administrative penalty of suspension for one (1) year from participating in any procurement process in the Provincial Government of Davao del Sur.
- 0 For the second offense - the second set of three strikes committed by participating in any procurement process in the Provincial Government of Davao del Sur. an administrative suspension for two (2)

by all BAC Members present it was WHEREFORE, on motion of BAC Member, Dominic S. Bucol, JD duly seconded

Services, and infrastructure Government of dayao del sur. Procuring Entity, GOV STRIKE POLICY IN REMODE SEED, ED, as it is hereby RESOLVED, to recommend GOVERNOR YVONNE ROÑA CAGAS to ADOPT THE PROCUREMENT OF CONTRACTS で見り置いてい to recommend to I I S O 0000m AMENDED 3-で見られるというで Tead of the

concerned, Suppliers, and Concerned End Users, for their information and guidance RESOLVED FINALLY, to furnish copies of this Resolution to all agencies

Cagas Sports and Business Complex, del Sur, this 15th day of June, 2023. UNANIMOUSLY APPROVED at the at the Ralota Hall, Governor Douglas Ralota Barangay Matti, Digos City, Province of Davao

BAC RES. NO. 861, S.2023 Page -5x-x-x-x-x-x-x-x-x-x-x-x-x

I hereby concur to the correctness of the minutes:

Engr. SHIELA MAN A. ZAPANTA, IMPA Administrative Officer IV, PMO Head, BAC Secretariat for Infrastructure Projects

NORJANNA III. CANIAGUIN, NIPA
Chief Administrative Officer, PNIO
Head, BAC Secretariat for Goods and Consulting Services

(ON LEAVE) ENGR. RODERICK MILANA, REA Provincial Assessor / BAC Member

> ALLAN C. PUTONG, JD PGDH-PGSOLBAC Member

APGDH-PEO/BAC Member

PGDH-PC/SINO/BAC Member

RAUL R. FUECONCILLO, LAgri.MAg.Dev. Provincial Agriculturist / BAC Member

> RAUL D. RAUT, ENP, JD PGDH-PHRMO / BAC Vice-Chairperson

DESSAMIE BUAT-SANCHEZ, CPA, JD PGDH-PBO / BAC Chairperson Presiding Officer

Approved by:

YVONNE ROÑA CAGAS
Governor
Head of Procuring Entity

DAVAO DEL SUR



Republic of the Philippines PROVINCE OF DAVAO DEL SUR

Barangay Matti, Digos City, Davao del Sur

onius Adet: bruidwoodelsur2@provilico.o. dioudevoodelsustrymail.com Telefax: (001) (325-951-5) brabs...a www.corvacdelsucquaph Mobile West of 157 1024/0948-751-5848

BIDS AND ARREDS AND ARREST ARE THE GREEN OF THE CONTRACTOR OF THE

Resolution No. <u>052</u> Series of 2022

Series of 2022

BIDDERS WHO WILL INCUR ANY OF THE VIOLATIONS RECOMMENDING REPUBLIC ACT NO. 9184, (PROCUREMENT REFORM ACT. ROÑA 2046 CAGAS REVISED IMPLEMENTING TO ADOPT THE OTHERWISE A RESOLUTION NAONN SUSPENSION OF PROCURING AND AS T STIPULATED IN SECTION ENTITY, THE GOVERNM PARTICIPATING GOVERNMENT

Conference and the Instruction to Bidders; submission of biddings WHEREAS, the Provincial Government of Davao del Sur encounters failures as due to constant violations committed by the participating Bidders in t their bidding documents despite of the orientation during Pre-bid S T Ō.

Group unanimously agreed that the following instructions are hereby issued pertaining to the implementation of the Suspension of the Participating Bidders against violations of Section 41 of the Revised IRR of RA 9184; WHEREAS, to further strengthen the integrity of the competitive bidding process, and Awards Committee together with the Members of the Technical Working

as follows: The provision of Section 41 the Revised IRR of RA 9184 is hereby reiterated

contract in the following situations: "Section 41. Reservation Clause. - The Head of the Agency reserves the right any and all, Bids, declare ω failure of bidding, 9 not award the

- themselves, or between a bidder and any of the bidders, or if the collusion is officers or employees of the Procuring Entity, or between the BAC nullify competition; which restricts, If there is prima facie evidence of collusion between appropriate public suppresses or nullifies or tends to restrict, suppress or a third party, between or among the bidders including any act
- procedures; If the BAC is found to have failed in following the prescribed bidding ð
- contract will not redound to the benefit of the government as defined in the IRR."
- the purpose of competitive bidding, are hereby clarified to read as follows:

 2.a. If there is prima facie evidence of collusion between appropriate public officers or employees of the Procuring Entity violations enumerated, which are considered as acts that tend to defeat

N

2.6 the bidders: If there is prima facie evidence of collusion between the BAC and any of



Barangay Matti, Digos City, Davao del Sur PROVINCE OF DAVAO DEL SUR Republic of the Philippines

Mobile Nov. 0901-295-0526(ASIS) Telefax: (082):55 >-96 :5/04/552 Standar. mandan statificacielski (ganillatora HONOT HISPITHA PITTANT C 2 11/2 40 19 52-2904/0948-788-5848

の国の人でで E.VVV

BAC X-X-X-X-X-X-X-X-X-X-X-X-X-X-X-X-X-X Page -2-Resolution No. 052 s. 2022

\<u>\</u> themselves, or between a bidder and a third party, including any act which If there is prima facie evidence of collusion between or among the bidders competition; suppresses Ş nullifies or tends to restrict, suppress

- ĆŊ as well as of the violations by the bidder of the said policy in other offices of the Provincial Government of Davao del Sur. of its projects and maintain a tally of violations by each bidder in its jurisdiction The BAC through its Secretariat shall monitor the participation of bidders in all
- 1> participating bidder/contractor for the violation Section 41 of RA 9184: Dios Sos and Awards Committee, Entity, for approval, the shall recommend to the administrative sanction 9 Head Š enne

For the first violation – an administrative penalty of suspension for three (3) months from participating in any procurement process in the

Provincial Government of Davao del Sur.

Ō For the second violation - an administrative penalty of suspension for one (1) year from participating in any Provincial Government of Davao del Sur. any procurement process in the

 \bigcirc For the third offense- perpetual disqualification from participating in any procurement process in the Provincial Government of Davao del

WHEREFORE, on motion of BAC Member Wilana, duly seconded by BAC Member

REGULATIONS OF REPUBLIC ACT NO. 918-GOVERNMENT PROCUREMENT REFORM ACT. STIPULATED IN SECTION 41 OF RESOLVED, as it is hereby RESOLVED, to recommend to the procuring Entity, GOVERNOR YVONNE RONA CAGAS to ADOPT THE OF PARTICIPATING BIDDERS WHO WILL INCUR ANY OF THE Putong, it was ACH MHT CH 2016 REVISED IMPLEMENTING RULES NO. 9184, OTHERWISE KNOWN AS 9184, OTHERWISE recommend to the Head of the THE SUSPENSION VIOLATIONS

concerned for their information and guidance RESOLVED FINALLY, to furnish copies of this Resolution ් ට් agencies

Cagas Sports and Business Complex, Barangay Matti, Digos City, Province of Davao del Sur, this UNANIMOUSLY APPROVED at the Almendras Hall, 14th day of July, 2022 Governor Douglas Ralota

hereby certify the correctness of above-mentioned resolution.

Agriculturjal Head, BAC SHIELA Secretariat (Infrastructure Projects) Technologist MAE ZAPANTA, MPA

Head, MORJANGE. Consulting Services) LTOO BAC Secretariat gamaguin, MPA (Goods <u>an</u>

(%) () () () ()



Republic of the Philippines province of DAVAO DEL SUR Barangay Matti, Digos City, Davao del Sur

ndi Add: bacdava colsu 2) - nailu en sbadavaodelia (égnalicom Telefax: (082) 553-9579/ Wilbsire: www.dawodelsur.gov.ph Mobile Nos: 0905-299-0526/(:):\hi-su2-3024/(:048-768-5848

205.25

11,

GALES !

BAC Resolution No. <u>052</u>s. 2022 Page -3x-x-x-x-x-x-x-x-x-x-x-x-x-x-x

Attested by:

DOMINIE S. BUCOL JD PGDH-Provincial Warden Office BAC Member

Engr. ANGELIE R. GELLA APGDH-PEO BAC Member

ALLAN C. PUTONG
PGDH-PGSO...
BAC Member

(on leave)
RAUL R. FUECONCILLO, MagDev
PGDH-OPAG
BAC Member

Engr. RODERICK R. MILANA, REA PGDH-PASSO BAC Member

RAUL B. RAUT, EnP, JD PGDH-HRMO BAC Vice Chairperson

DESSAMIE BUAT-SANCHEZ, CPA, JD.
Provincial Budget Officer
BAC Chairperson – Presiding Officer

Approved by:

YVONNE RONA CAGAS

Governor

Head of Procuring Entity

61. L

du



Barangay Matti, province of dayao del sur Republic of the Philippines Digos City, Davao del Sur

HANDLE PROCEDURAL CHARLES Telefor (381) outsette modile Notice Caldition and organization delicated by the disco The second second and the second seco

Resolution No. 053 Series of 2022

recommending to the head of the procuring entity, governor yvonne rora cagas, to declare bidders who failed to disclose all on-going projects as disqualified, after finding such non-inclusion during post-qualification of BIDDERS BY THE BAC TECHNICAL WORKING GROUP (TWG). A RESOLUTION

Be it enacted by the BAC MEMBERS in meeting assembled:

WHEREAS, in line with the Provincial Government of Davao del Sur's initiative to fast-track procurement transactions of the Province, the Special Bids and Awards Committee thereby adopts Resolution to produce Contractors with integrity and truthfulness in their submitted bid; S

WHEREAS, item number 2 of GPPB NPM 111-2013 states that, "Failure to include all on-going and completed contracts in the Statement may be a ground for disqualification for being incomplete, and may also result in blacklisting if proven that such failure amounts to submission of false information or false documents. The submission of the eligibility documents enumerated in Section 23.1 of the IRR is a mandatory requirement that must be complied with by prospective bidders, such that failure to submit any of the documents or the submission of an otherwise incomplete or patently insufficient document, will disqualify the bidder based on the non-discretionary "pass/fail" criterion under Section 30.1 of the IRR."

contract, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid is a ground for disqualification. These contracts, as reflected in the "Statement of all on-going contracts", are vital to the computation of the Net Financial Contracting Capacity of the bidder, and they are necessary information during the post-qualification stage to verify, validate and ascertain the technical qualification of the Lowest Calculated Bidder for the ultimate determination whether it is the Lowest Calculated and Responsive Bidder."; IN ADDITION, GPPB NPM 006-2018 states that, "Failure to declare an on-going government and private

WHEREFORE, after thorough deliberation, BAC Member Milana duly seconded by BAC Member Putong,

it was-

Resolved, as it is hereby resolved, to recommend to the Head of Procuring Entity, Governor Yvonne Rona Cagas, to declare bidders who Failed to disclose all ongoing Projects as disqualified after finding such non-inclusion during Post-Qualification of Bidders by the Bac Technical Working Group (TWG);

and guidance RESOLVED FINALLY, to furnish copies of this Resolution to all agencies concerned for their information

UNANIMOUSLY Complex, APPROVED Barangay Matti, Digos ಶ the Almendras Hall, j, Digos City, Province Hall, of Davao del Sur, this Douglas Ralota 14th day Cagas Sports day of July, 2022

I hereby certify to the correctness of above-mentioned resolution

Head, BAC Secretariat (Infrastructure Projects) Agricultu**j**al SHELA MAE ZAPANTA, MPA Technologist

Head, BAC Secretariat (Goods and Consulting norjama m. càmaguin, mpa 100 Services)

BAC Resolution No. on No. <u>©53.</u> Page 1 of 2 Series ಲ್ನ

DOMINIC/S. BUCOL JD PGDH-Provincial Warden Office BAC Member

Engr. ANGELIE R. GEI APGDH-PEO BAC Member

(on leave)
RAUL R. FUECONCILLO, MagDev
PGDH-Office of the Provincial Agriculturist
BAC Member

Engr. Roderick R. Milana, Rea PGDH-PASSO BAC Member

ALLANIC. PUTONG, JD PCDH-PCSO BAC Member

> RANC D'RAUT, EmP, JD PGDH-HRMO BAC Vice Chairperson

DESSAMIE BUAT-SANCHEZ, CPA, JD PGDH - PBO BAC Chairperson — Presiding Officer

Approved by:

YVONNIE RONA GAGAS
Governor—
Head of Procuring Entity

PROCUREMENT MANAGEMENT ПП

Mobile Nos. 0905-229-0526/0908-332-2024 (Goods), 0948-768-5848 (Infra) Telefax: (082)-553-9579 AWARUS CO

805 TEO

TWG - CHECKLIST FOR BID EVALUATION

Website: www.dayaodelsur.gov.ph/pgo-bac Email Add.: bac.dayaodelsur2@gmail.com/sbacdayaodelsur@gmail.com

- Lucanomer	- Annual Control of the Control of t	Traffic Management
, and the second		1
	- Luncamore	3. Assistance to the Engineers
	- A CONTRACTOR OF THE CONTRACT	Consumables
		2. Furnishing of Furniture, Laboratory Equipment Survey Equipment and
	A shirth Management of the state of the stat	1. Field/ Laboratory Office & Living Quarters (Rental Basis)
- Carrier Control	- V Individual section of the sec	not be subjected to OCM mark-up:
		J. The following non-civil work items shall
	a. Leaventeenteenteenteenteenteenteenteenteent	the EDC, OCM, and Profit.
		 VAT Component shall be 5% of the sum of
The state of the s		the projects 5 million and below.
		EDC for projects above 5 million and 10% for
	W#####################################	
		G. Miscellaneous expenses must be within the
11,000	- Landing Market State Co. Co.	1
		 F. Contingencies must be within the range of
The state of the s	The state of the s	E. Overhead expenses must be within the range of %-11% of the EDC.
The state of the s	· · · · · · · · · · · · · · · · · · ·	EDC) of the civil works items.
		D. Mobilization and demobilization shall not
The state of the s		C. Allowance for waste and/or losses, not to
		BOQ.
		summary of bid and the quantities in the
		(D
		A. Check mathematical computation in the
	- Commenter of the comment of the co	3. Detailed Estimates
	THE TAXABLE THE TA	End-User.
		conform with the Bill of Quantities issued by the
II. A STATE OF THE	MAAAAAA WAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	Delow ADC.
		1. Bid Amount (both in words and in figure) must be
REMARKS	FINDINGS	ITEMS:
	A Land Westerman	Contractor:
The state of the s		Name of Project:
	- Lineanne de la composition della composition d	© No.
- LILLING CONTROL OF THE CONTROL OF		

PROCUREMENT MANAGEMENT AWARDS COMMITTEE

Email Add.: bac.davaodelsur2@gmail.com/sbacdavaodelsur@gmail.com Mobile Nos. 0905-229-0526/0908-332-2024 (Goods), 0948-768-5848 (Infra) Telefax: (082) 553-9579 Website: www.davaodelsur.gov.ph/pgo-bac

Mas Tao

E. Cash Flow by quarter and payment schedule (check mathematical computation against the bid amount)	E. Cash
D. Bid Securing Declaration (must be in prescribed form, 15 days)	D. Bid s
(2%) C. Surety Bond callable upon demand (5%)	(2%) C. Suret
Bank Guarantee/ Draft or Irrevocable Letter of Credit	B. Bank
 A. Cash or Cashier's/ Manager's check (2%)	A. Cash
 rity	4. Bid Security
 A LANDAU MARIAN	The state of the s
C. Permits and Clearances	
B. Provision of Service Vehicle	THE PARTY AND TH
A. Mobilization and demobilization	
OCM and Profit mark-up:	
K. The following items shall not be subjected to	X

REMENT MANAGEMENT WARDS COMMITTEE

Mobile Nos. 0905-229-0526/0908-332-2024 (Goods), 0948-768-5848 (Infra)
Telefax: (082) 553-9579
Website: www.davaodelsur.gov.ph/pgo-bac
Email Add.: bac.davaodelsur2@gmail.com/sbacdavaodelsur@gmail.com/

AUS 1800

BIDS AND

TWG - CHECKLIST FOR POST QUALIFICATION	ICATION	
Name of Project:		
Contractor:	SPINGS	REWARKS
Not a Blacklisted Contractor per GPPB Website		
2. Registration certificate from SEC, Department of Trade and Industry (DTI) for sole		
proprietorship, or CDA for cooperatives must be valid (Company Name and Validity)		
Mayor's/ Business permit must be valid (Company Name and Validity)		
Tax Clearance must be valid (Company Name and Validity)		
5. PhilGEPS Registration (Platinum Membership) must	A THE TAXABLE PROPERTY OF TAXABLE PROP	
6. Valid Philippine Contractors Accreditation Board or		
Special PCAB License in case of Joint Ventures (PCAB)		
7. Statement of all on-going government and private		
A. Complete attachments		
I. Notice of Award		
V. Statement of Work Accomplishment duly		
signed by the Procuring Entity B. Evaluate the projects if any:		
] :: 2		
more than fifteen percent (15%) in any		
one project or a negative slippage of more than ten percent (10%) in each two		
(2) or more contracts. C. Verification of on-going projects via DPWH		
8. Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid for		
the last (3) years, and whose value, adjusted to		
must be at least fifty percent (50%) of the ABC to		
be bid: Provided, however, that contractors under Small A and Small B categories without similar		
experience on the contract to be bid may be allowed		
to bid if the cost of such contract is not more than		
their registration based on the guidelines as		
prescribed by the PCAB. Must be supported with the following:		
A. Contract / Purchase Order		
B. Certificate of Completion / Acceptance or Inspection Report or Official Receipt		
C. Validate Contractors/Constructors Performance		
Evaluation System (CPES) in DPWH Website.	***************************************	

<u>ロ</u> し REMENT MANAGEMENT VARUS CO

Email Add:: bac.davaodelsur2@gm Mobile Nos. 0905-229-0526/0908-332-2024 (Goods), 0948-768-5848 (Infra)
Telefax: (082) 553-9579
Website: www.davaodelsur.gov.ph/pgo-bac

avaodelsur@gmail.com

WINS TELL

 Duly Notarized Compliance to Existing Labor Laws
18. Duly Notarized Affidavit of Site Inspection
17. Equipment Utilization must conform with the POW
Manpower Utilization must conform with the POW
15. PERT-CPM must conform with the contract duration
with the prescribed contract duration and the bid
Construction schedule and S-Curve must conform
13. Construction Methods must conform with the
12. Business Tax Return Quarterly or Monthly as of
11. Income Tax Return as of 2020
reconciled with the Audited Financial Statements
Net Financial Contracting Capacity (NFCC) must be
form (1 to 9) and duly notarized
Omnibus Sworn Statement must be in prescribed