

Republic of the Philippines
PROVINCE OF DAVAO DEL SUR
Office of the Governor

PROCUREMENT MANAGEMENT OFFICE BIDS AND AWARDS COMMITTEE

Mobile Nos. 0905-229-0526/0908-332-2024 (Goods), 0948-768-5848 (Infra)
Website: www.davaodelsur.gov.ph/pgo-bac
Email Add.: bac.davaodelsur2@gmail.com (Goods)
sbacdavaodelsur@gmail.com (Infra)

I Love Davao del Sur


BIDDING DOCUMENTS

Supply/Delivery of Brand New Medical Ambulance

**PUBLIC BIDDING IB NO. G-196-23
(2nd opening)**

November 08, 2023

Section I.
Invitation to Bid



PROCUREMENT MANAGEMENT OFFICE

BIDS AND AWARDS COMMITTEE

Mobile Nos. 0905-229-0526/0908-332-2024 (Goods), 0948-768-5848 (Infra)

Website: www.davaodelsur.gov.ph/pgo-bac

Email Add.: bac.davaodelsur2@gmail.com (Goods)

sbacdavaodelsur@gmail.com (Infra)

I Love Davao del Sur

INVITATION TO BID FOR G-196-23 (2nd opening)

Supply/Delivery of Brand New Medical Ambulance

1. The **Provincial Government of Davao del Sur**, through the **General Fund** intends to apply the sum of **₱ 2,600,000.00** being the ABC to payments under the contract for **IB No. G-196-23 2nd opening (GMDH)**. Bids received in excess of the ABC shall be automatically rejected at bid opening.

2. The **Provincial Government of Davao del Sur** now invites bids for the above Procurement Project. Delivery of the Goods is required by **60 calendar days without extension**. *Complete delivery shall be strictly observed by the supplier and no partial delivery shall be allowed except in meritorious cases such as fortuitous event, or by act of the Government or upon the approval of the Head of the Procuring Entity.*

Bidders should have completed, **for the last 3 years** from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).

**The Supplier shall notify the PGSO a day before the actual delivery.*

**Note: Please see attached sample pictures/design of Provincial Logo and Hospital Logo.*

3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary “pass/fail” criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

➤ Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.

4. Prospective Bidders may obtain further information from **Provincial Government of Davao del Sur** and inspect the Bidding Documents at the address given below during **8:00 A.M. – 4:00 P.M., Monday to Friday**:

MS. NORJANNA M. CAMAGUIN, MPA
Chief Administrative Officer
Procurement Management Office
Room 4, Executive Building, Barangay Matti, Digos City

5. A complete set of Bidding Documents may be acquired by interested Bidders on **November 09, 2023 – November 16, 2023** at the Office of the BAC Secretariat Room 4, Executive Building, Capitol Matti, Digos City **upon accomplishing a bidder’s assessment slip** pursuant to the latest Guidelines issued by the GPPB, in the amount of **₱ 5,000.00**. The Provincial Government of Davao del Sur shall allow the bidder to present its proof of payment for the fees **upon payment of a non-refundable fee for the Bidding Documents in the amount stated above to the Provincial Treasurer’s Office. An authorization from the proprietor of the company shall be presented in case the latter opted to send representative/s in his/her behalf. Only bidders who purchased the Bidding Documents with corresponding official receipt of the bidding documents will be allowed to submit bids. Eligibility/Technical and Financial documents must be book bound and properly tab at right side. The bidder will prepare (3) sets of book bound bidding documents with corresponding proper markings (Original Copy, Copy 1 and Copy 2), respectively. Any document submitted, not book bound shall be rejected outright. For the Financial Proposals not exceeding ten (10) pages may be book bound or securely stapled.**

34.1 The Lowest Calculated Bid/Highest Rated Bid shall undergo post-qualification in order to determine whether the bidder concerned complies with and is responsive to all the requirements and conditions as specified in the Bidding Documents.

Xxx

34.3.b.iii) Verification and/or inspection and testing of the goods/product, aftersales and/or maintenance capabilities, in applicable cases, as well as checking the following:


- a. Delay in the partial delivery of goods amounting to ten percent (10%) of the contract price in its ongoing government and private contracts;
- b. If any of these contracts shows the bidder's failure to deliver or perform any or all of the goods or services within the period(s) specified in the contract or within any extension thereof granted by the Procuring Entity pursuant to a request made by the supplier prior to the delay, and such failure amounts to at least ten percent (10%) of the contract price; or
- c. Unsatisfactory performance of the supplier's obligations as per contract terms and conditions at the time of inspection.

If the BAC verifies any of these deficiencies to be due to the bidder's fault or negligence, **the BAC shall disqualify** the bidder from the award, for the procurement of Goods.

6. Bids must be duly received at the following through manual submission. Late bids shall not be accepted:
 - Advance dropping (before **November 16, 2023**) - Room 4, Procurement Management Office (Goods), Capitol Building, Mati, Digos City.
 - Date of Opening (**November 16, 2023**) - Ralota Hall Davao del Sur Coliseum, Province of Davao del Sur.
7. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 14.
8. Bid opening shall be on **November 16, 2023 at 9:00 A.M. Ralota Hall, Gov. Douglas Ra. Cagas Cultural Sports and Business Complex, Barangay Mati, Digos City, Davao Del Sur.** Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
9. The **Provincial Government of Davao del Sur** reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
10. For further information, please refer to:
The BAC Chairperson
Provincial Government of Davao del Sur
Email: bac.davaodelsur2@gmail.com

MS. NORJANNA M. CAMAGUIN, MPA
Chief Administrative Officer
Head, BAC Secretariat
Procurement Management Office
Rm. 4 Executive Building, Barangay Mati, Digos City
Email Address: bac.davaodelsur2@gmail.com
Mobile Nos. 0905-229-0526 (Globe) / 0908-332-2024 (Smart)
Telefax: (082) 553-9579
11. You may visit the following websites:
For downloading of Bidding Documents :
 - www.davaodelsur.gov.ph
 - shorturl.at/kyCK0

November 08, 2023


DESSAMIE BUAT-SANCHEZ, CPA, J.D.
Provincial Budget Officer
BAC Chairperson

Section II.
Instructions to
Bidders

1. Scope of Bid

The Provincial Government of Davao del Sur wishes to receive Bids for the **Supply/Delivery of Brand New Medical Ambulance** with identification number **G-196-23 (2nd opening)**.

The Procurement Project (referred to herein as "**Supply/Delivery of Brand New Medical Ambulance**") is composed of **By Item**, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

2.1. The GOP through the source of funding as indicated below for 2023 in the amount of **P 2,600,000.00**.

2.2. The source of funding is **General Fund**:

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.

5.2. *[Select one, delete other/s]*

a. Foreign ownership exceeding those allowed under the rules may participate pursuant to:

i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;

✓

- ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
 - iii. When the Goods sought to be procured are not available from local suppliers; or
 - iv. When there is a need to prevent situations that defeat competition or restrain trade.
- b. Foreign ownership limited to those allowed under the rules may participate in this Project.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:

[Select one, delete the other/s]

- a. For the procurement of Non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
 - b. For the procurement of Expendable Supplies: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least twenty-five percent (25%) of the ABC.
 - c. For procurement where the Procuring Entity has determined, after the conduct of market research, that imposition of either (a) or (b) will likely result to failure of bidding or monopoly that will defeat the purpose of public bidding: the Bidder should comply with the following requirements:
[Select either failure or monopoly of bidding based on market research conducted]
 - i. Completed at least two (2) similar contracts, the aggregate amount of which should be equivalent to at least *fifty percent (50%) in the case of non-expendable supplies and services or twenty-five percent (25%) in the case of expendable supplies*] of the ABC for this Project; and
 - ii. The largest of these similar contracts must be equivalent to at least half of the percentage of the ABC as required above.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address *{[insert if applicable]}* and/or through videoconferencing/webcasting} as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 10.2. The Bidder's SLCC as indicated in **ITB Clause 5.3** should have been completed within *[state relevant period as provided in paragraph 2 of the IB]* prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.
- 11.5. *[Include if Framework Agreement will be used:]* Financial proposals for single or multi-year Framework Agreement shall be submitted before the deadline of submission of bids as prescribed in the **IB**. For multi-year Framework Agreement, evaluation of the financial proposal during this stage is for purposes

of determining eligibility and whether or not such financial proposal is within the ABC.

12. Bid Prices

12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:

- a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in e.
- b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications)**.

12.2. *[Include if Framework Agreement will be used:]* For Framework Agreement, the following should also apply in addition to Clause 12.1:

- a. For a single year Framework Agreement, the prices quoted by the Bidder shall be fixed during the Bidder's performance of the contract and not subject to variation or escalation on any account. Price schedules required under Clause 12.1 shall be submitted with the bidding documents.
- b. For a multi-year Framework Agreement, the prices quoted by the Bidder during submission of eligibility documents shall be the ceiling and the price quoted during mini-competition must not exceed the initial price offer. The price quoted during call for mini-competition shall be fixed during the Bidder's performance of that Call-off and not subject to variation or escalation on any account. Price schedules required under Clause 12.1 shall be submitted with the bidding documents.

13. Bid and Payment Currencies

13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.

13.2. Payment of the contract price shall be made in: **Philippine Pesos**.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration¹ or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until **March 15, 2024**. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.
- 14.3. *[Include if Framework Agreement will be used:]* In the case of Framework Agreement, other than the grounds for forfeiture under the 2016 revised IRR, the bid security may also be forfeited if the successful bidder fails to sign the Framework Agreement, or fails to furnish the performance security or performance securing declaration. Without prejudice on its forfeiture, bid securities shall be returned only after the posting of performance security or performance securing declaration, as the case may be, by the winning Bidder or compliant Bidders and the signing of the Framework Agreement.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

- 16.1. Bids must be delivered to the Office of the BAC Secretariat Room 4, Executive Building, Capitol Matti, Digos City on or before **November 16, 2023 at 9:00 A.M.** Late bids shall not be accepted. All bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 18.

17. Opening and Preliminary Examination of Bids

- 17.1. Bid Opening shall be on **November 16, 2023 at 9:00 A.M., Ralota Hall, Gov. Douglas Ra. Cagas Cultural Sports and Business Complex, Barangay Matti, Digos City, Davao Del Sur**. Bids will be opened in the presence of bidders' representatives who choose to attend the activity.
- 17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

¹ In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

18. Domestic Preference

- 18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.
- 18.2. *[Include if Framework Agreement will be used:]* For multi-year Framework Agreement, determination of margin of preference shall be conducted every call for Mini-Competition.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as:

One Project having several items that shall be awarded as one contract.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

- 20.1. *[Include if Framework Agreement will be used:]* For multi-year Framework Agreement, all bidders initially determined to be eligible and financially compliant shall be subject to initial post-qualification. The BAC shall then recommend the execution of a Framework Agreement among all eligible, technically and financially compliant bidders and the Procuring Entity and shall be issued by HOPE a Notice to Execute Framework Agreement. The determination of the Lowest Calculated Bid (LCB) shall not be performed by the BAC until a Mini-Competition is conducted among the bidders who executed a Framework Agreement. When a Call for Mini-Competition is made, the BAC shall allow the bidders to submit their best financial proposals on such pre-scheduled date, time and place to determine the bidder with the LCB.
- 20.2. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, *{[Include if Framework Agreement will be used:]}* or in the case of multi-year Framework Agreement, that it is one of the eligible bidders who have submitted bids that are found

to be technically and financially compliant,}the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**. *{[Include if Framework Agreement will be used:]* For every mini-competition in Framework Agreement, the LCB shall likewise submit the required documents for final Post Qualification.}

***Section III. Bid Data
Sheet***

Bid Data Sheet

| ITB Clause | |
|------------|--|
| 5.3 | <p>For this purpose, contracts similar to the Project shall be:</p> <p style="padding-left: 40px;">a. Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid for the last 3 years, and whose value, adjusted to current prices using the Philippine Statistics Authority (PSA) consumer price indices, must be at least fifty percent (50%) of the ABC. However, in the case of Expendable Supplies, said SLCC must be at least twenty five percent (25%) of the ABC. Other conditions set forth under Section 23.4.1.3 of the 2016 Revised IRR of R.A. 9184 shall also be observed.</p> |
| 7.1 | <i>Subcontracting is not allowed.</i> |
| 12 | The price of the Goods shall be quoted DDP [<i>state place of destination</i>] or the applicable International Commercial Terms (INCOTERMS) for this Project. |
| 14.1 | <p>The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:</p> <p style="padding-left: 40px;">a. The amount of not less than P 52,000.00, if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or</p> <p style="padding-left: 40px;">b. The amount of not less than P 130,000.00 if bid security is in Surety Bond.</p> |
| 19.3 | <i>Please see Purchase Request No.:</i> 1438-CB-23 dated October 12, 2023 |
| 20.2 | <i>Post-Qualification Requirements: Latest Income Tax Returns, Business Tax Returns for the last 6 months</i> |
| 21.2 | <p>1.Envelope 1 (Eligibility/Technical Documents)</p> <p>One (1) ORIGINAL COPY, another copy for COPY 1, and another copy for COPY 2.</p> <p>2. Envelope 2 (Financial Proposal)</p> <p>One (1) ORIGINAL COPY, another copy for COPY 1, and another copy for COPY 2</p> <p>Such documents shall be duly signed by the bidders or its duly authorized representative/s.</p> <p>Eligibility/Technical and Financial Proposal must be book bound and properly tab at the right side. Any documents submitted not book bound shall be rejected outright. For the Financial Proposal not exceeding ten (10) pages maybe book bound or securely stapled.</p> <p>All copies must be properly marked (ORIGINAL COPY, COPY 1 AND COPY 2)</p> <p>Envelope 1 and Envelope 2 must be properly sealed. Envelope 1 and Envelope 2 will be placed in one sealed mother envelope.</p> |



PURCHASE REQUEST

PROVINCIAL GOVERNMENT OF DAVAO DEL SUR
Matti, Digos City

PR Id.: HTWWT8ZBBK

Date Submitted/Published: 09/15/2023

Department: GMDH P.R No. **1438-CB-M** Date: **OCT 12 2023**

| Item No. | Unit | Item and Description | Qty | Unit Cost | Total Cost |
|----------------|------|--|-----|--------------|-----------------------|
| 1 | UNIT | <p>Brand New Medical Ambulance Medical Ambulance with the necessary medical equipment and apparatus</p> <p>I. TECHNICAL SPECIFICATIONS :</p> <ul style="list-style-type: none"> - Engine displacement not exceeding 2,800 cc for Diesel (2,500-2800cc) ✓ - Engine Type: 4 cylinders, in-line type, 16 valves, Double Over Head Cam (DOHC) - Manual Transmission with at least five (5) speed + one (1) reverse - Air conditioned dual type at the drivers cabin and at the patient's compartment with independent controls. - Body color: White - Patient compartment interior height at least 1600mm and width at least 1500mm - TUBELESS TIRE WIDTH: 195mm, rim size at least 15" ✓ - POWER WINDOW ✓ - Meets the EURO IV standard <p>FOB: PGSO Compound, Matti, Digos City, Davao del Sur Model: 2023 Year model or latest with BUILT-IN MULTIMEDIA PLAYER with COMPLETE ACCESSORIES ✓</p> <p>II. Inclusions:</p> <ol style="list-style-type: none"> 1. Comprehensive GSIS insurance 2. LTO Registration with TPL (3 years) 3. 3 Year WARRANTY OR 100,000 KM (Whichever comes first) 4. Service center: Within region XI or General Santos City or Kidapawan City, North Cotabato <p>III. SCOPE OF WORKS: Supply of labor and materials for the:</p> <ul style="list-style-type: none"> - Installation of Emergency lights: Roof mounted light bar with red and green flashing LED lights. The Length of the light bar must be the same as the width of the vehicle roof. - Installation of Red and Green flashing LED lights mounted on the upper part of the rear of the Ambulance - Installation of Red and Green LED flashing lights mounted on the front grill of the Ambulance - Installation of Electric siren and public address system: Standard ambulance siren tones (horn, manual, wail, yelp, phaser, HiLo/Two tone) and with at least two 100 watts amplifier and siren speakers. With rotary switch and momentary push-button override control. Public Address override with attached microphone and volume control knob - Installation of Dashboard Camera: Resolution of at least 1920x1080@30fps, angle of view at least 120 degrees diagonal, at least 2 inch LED display, minimum storage capacity of 64Gb, with loop recording, automatic on/off and night vision recording in low light. The camera must be permanently installed on the dashboard or windshield. - Installation of Power source thru inverter from 12v DC to 220v AC minimum of 2,000 watts with at least five (5) convenience outlet universal type must be installed at the different points on the compartment. - Installation of Intercom system: Intra-vehicle intercom system must be fitted to serve as voice communication between the driver and personnel in the patient compartment. - Scope stretcher holder compartment under riser mounting that weigh not more than 16lbs, carry capacity max of 350 lbs, width 16.9 inches, length 46.8 inches or suppliers standard | 1 | 2,600,000.00 | 2,600,000.00 |
| Total : | | | | | P 2,600,000.00 |

Purpose: FOR GMDH USE

| | | |
|---|---|---|
| Requested by: | Cash Availability: | Approved by: |
| Signature: | | |
| Printed Name: FELIPE JR. D. DE LA PEÑA, MD | FARAH GEMMA V. BIDAN, CPA | YVONNE ROÑA CAGAS |
| Designation: CHIEF OF HOSPITAL I | Provincial Treasurer | As per MO No. 4, Series of 2023 |
| Date: | ROWELL N. BACONGCO, MPA Local Treasury Operations Officer IV Acting Assistant Provincial Treasurer | CHRISTOPHER T. TAN PGDH-PDRMO |

PAGE 1 OF 4 PAGE/S

G-196-23

preproc: 10-17-23
prepid: 10-26-23 (Addendum 090-2023)
1st opening: 11-7-23
21
2nd opening: 11-14-23

#17043 SEP 28 2023





PURCHASE REQUEST
PROVINCIAL GOVERNMENT OF DAVAO DEL SUR
 Mati, Digos City

PR Id.: HTWWT8ZBBK

Date Submitted/Published: 09/15/2023

Department: GMDH

P.R. No.:

1438 - CD - M

Date:

OCT 12 2023

Section:


| ItemNo. | Unit | Item and Description | Qty | Unit Cost | Total Cost |
|---------|------|--|-----|-----------|-----------------------|
| | | <p>-Installation of Bench for medical personnel: The ambulance must be fitted with 3-seater bench permanently mounted on the ambulance floor; one on the head side of the patient and one on the right side of the patient compartment. The bench (seat and backrest) must be made of sturdy aluminum frame and panels coated with white color paint or other lightweight, equivalent strength material such as fiberglass reinforced plastics or plastic laminated. The seat and backrest must be fitted with mattress made of polyurethane foam covered with a washable leatherette material. The construction of the bench must be in such a way that the underneath can be used as a compartment. The bench must have a 2 point seatbelt for each person.</p> <p>- Fabrication of separate cabinet for oxygen with tank steel base holder</p> <p>- Installation of IV Holder (Mounted on the ambulance wall head side of patient)</p> <p>-Fabrication of adequate and stable medical cabinet 50" x 12" x 6 feet x 6 with tempered glass and lock and securing strap with holder compartment of spine board with dimensions 72" x 16" x 75", weight 16 lbs, weight capacity 600lbs, float capacity 250lbs.</p> <p>- Fabrication of safety non-porous partition between driver and cabin with plastic fiber glass and lock</p> <p>- Mounting of overhead grab rail on the ceiling top of the patient stretcher and crew passenger</p> <p>- Installation of ReflectORIZED word "AMBULANCE" on the ambulance front which is spelled out in reverse (Mirror image), the sides of the ambulance shall have the capitalized word "AMBULANCE", font, text, for sticker decal requirements base on DOH.</p> <p>- Installation of Province of Davao del Sur logo on the driver's door and Gregorio Matas District Hospital Logo on the front passenger door, font, text, for sticker decal requirements base on DOH.</p> <p>-Standard tint including interior</p> <p>- Installation of controllable interior lighting and medical cabinet lightings</p> <p>- Mounting of Full collapsible stretcher and stainless ramp approached</p> <p>-Installation of medical stainless steel floor and rubber mattings</p> <p>IV: ITEMS INCLUSION/CONSUMABLES</p> <ol style="list-style-type: none"> 1. Ambulance stretcher with mattress, with length at least 180-197cm, width of 48-55cm, loading capacity of at least 175kg, collapsible side rail and durable leg mechanism. 2. 1 set Bag Valve mask resuscitator (Adult, child and neonate) 3. 1 set Aneroid Sphygmomanometer (Mounted on the ambulance wall on the head side of the patient) 4. One (1) Unit Automatic External Defibrillator (AED) with pads, energy output up to 200 Joules, with voice command prompts that gives instruction to the user. 5. 1 set nebulizer with nebulizer kits 6. 1 set Portable suction machine place in a cart mounted on the head side of the patient 7. 1 set Examining light (mounted on the head side of the patient) 8. 1 set Folding stretcher with length at least 1900mm, width at least 530mm with loading capacity at least 120kg 9. 1 set scoop stretcher with length at least 200cm and width at least 42cm, loading capacity at least 150kg. 10. 1 set heavy duty stethoscope (1 pediatric and 1 adult) | | | |
| | | Total : | | | P 2,600,000.00 |

Purpose: FOR GMDH USE

| | | |
|---|---|---|
| Requested by: | Cash Availability: | Approved by: |
| Signature: | | |
| Printed Name: FELIPE JR. D. DE LA PEÑA, MD | FARAH GEMMA V. BIDAN, CPA | YVONNE ROÑA CAGAS |
| Designation: CHIEF OF HOSPITAL I | Provincial Treasurer | Governor |
| Date: | ROWELL N. BACONGCO, MPA Local Treasury Operations Officer IV Acting Assistant Provincial Treasurer | By Authority of the Governor As per MO No. 4, Series of 2022 CHRISTOPHER T. TAN PGDH-PDRMO |

7047

SEP 28 2023





PURCHASE REQUEST
PROVINCIAL GOVERNMENT OF DAVAO DEL SUR
 Mati, Digos City

PR Id.: HTWWT8ZBBK

Date Submitted/Published: 09/15/2023

| | | |
|------------------|---------------------------------|-------------------|
| Department: GMDH | P.R No.: 1438- CAD-M | Date: OCT 12 2023 |
| Section: | | |

| ItemNo. | Unit | Item and Description | Qty | Unit Cost | Total Cost |
|----------------|------|--|-----|-----------|-----------------------|
| | | 11. 1 set Non-contact Thermometer 12. 1 set Blood Glucose meter with strips (50 lancets and 50 test strips) 13. Oxygen cylinder with oxygen therapy set at least 20 pounds capacity to include accessories. 14. 1 set laryngoscope (Fiber optic LED light source), curve and straight stainless steel blades for infant, child and adult. 15. 1 set Rigid cervical collars (Small, medium, Large) 16. 1 set head immobilizer (Adult and child) 17. 1 set Lower extremity traction device(adult and child) 18. 1 set Upper and lower extremity immobilization device. 19. Resistant straps or cravats 20. 1 set DELIVERY SET containing the following (1 pc sponge holding forceps, Rampley 9.5", 1 pc. Kidney Dish 10", 1 pc. Bowl 200mm, 1 pc. Umbilical scissors, American, straight 4.5", 1 pc. needle holder mayo Hegar straight 6.5", 1 pc. Episiotomy scissors 14.5cm, 1 pc. Cusco Vaginal Speculum medium, 1 pc. Hartmann Mosquito Artery Forceps straight 120mm, 1 pc. metal catheter, 1 pc. Uterine curette, 1 pc. Treves Dissecting Forceps, Plain, 200mm, 1 pc. Spencerwells Artery Forceps Curve 6", 1 pc. Kocher Artery Forceps, Toothed Straight 6") 21. 1 pc. Sharp container (Puncture proof) 22. 1 unit heavy duty led flashlight with at least 1000 lumens of brightness with extra batteries or equivalent to rechargeable type flashlight of the same type. 23. 1 set Fire extinguisher, 5 pounds with holder mounted on the ambulance floor 24. 1 pc. Digital clock mounted on the ambulance wall 25. 1 set Air Purifier with multi stage air filters (Pre-filter, HEPA, Carbon) and with UV light. 26. 1 pc Garbage container at least 3 liter capacity with lid cover mounted on the ambulance floor 27. Communication equipment comprising of Two (2) pieces cellular phones (one for the ambulance and one for the hospital/base). The cellular phones must be at least 4G Network, with Internal Memory of at least 64 GB 4G RAM smartphones. The phones must be provided with sim cards, and battery charger. 28. 1 spare tire, and standard tools: 1 pc Plier, 1 pc. tire wrench, 1 pc screw driver, (reversible flat and philip screw), 1 set hydraulic Jack 29. Standard early warning device V. OTHER REQUIREMENTS: - Supplier should provide three (3) Days Basic Ambulance Operation Course (BAOC) Training with a License Emergency technician Delivery period: 60 Calendar days without extension * Please see attached sample pictures/design of Provincial Logo and Hospital Logo. Charges: CAPITAL OUTLAY CONTINUING 2022 MOTOR VEHICLE 1-0735-010 BIDS & AWARDS COMMITTEE (BAC) TECHNICAL WORKING GROUP DATE: 2023-09-18 PROCUREMENT MANAGEMENT OFFICE COVERED BY: _____ CONTROLLED BY: _____ DATE: _____ | | | |
| Total : | | | | | P 2,600,000.00 |

Purpose: FOR GMDH USE

| | | |
|--|--|---|
| Requested by: | Cash Availability: | Approved by: |
| Signature: | | |
| Printed Name: FELIPE JR. D. DE LA PEÑA, MD | FARAH GEMMA V. BIDAN, CPA | YVONNE ROÑA CAGAS |
| Designation: CHIEF OF HOSPITAL I | Provincial Treasurer | By Authority of the Governor As per M.O. No. 4, Series of 2022 |
| Date: | ROWELL N. BACONGCO, MPA Local Treasury Operations Officer IV Acting Assistant Provincial Treasurer | CHRISTOPHER T. TAN P5DH-PDRRMC |

3047 N SEP 28 2023





PURCHASE REQUEST
 PROVINCIAL GOVERNMENT OF DAVAO DEL SUR
 Mati, Digos City

PR Id.: HTWWT8ZBBK

Date Submitted/Published: 09/15/2023

Department: GMDH

PR No.:

1438 - *CD-17*

Date:

OCT 12 2023


Section:

| ItemNo. | Unit | Item and Description | Qty | Unit Cost | Total Cost |
|---|------|----------------------|-----|-----------|-----------------------|
| <p>CERTIFICATION</p> <p>This is to certify that the ABC set is the prevailing market price based on the precavass/market survey conducted by this office as of <u>09/15/2023</u></p> <p><i>[Signature]</i> FELIPE JR. D. DE LA PEÑA, MD CHIEF OF HOSPITAL I</p> | | | | | |
| Total : | | | | | P 2,600,000.00 |

Purpose: FOR GMDH USE

| | | |
|---|---|---|
| Requested by: | Cash Availability: | Approved by: |
| Signature: <i>[Signature]</i> | | |
| Printed Name: FELIPE JR. D. DE LA PEÑA, MD | FARAH GEMMA V. BIDAN, CPA | YVONNE ROÑA CAGAS |
| Designation: CHIEF OF HOSPITAL I | Provincial Treasurer | By Authority Governor |
| Date: | <i>[Signature]</i> ROWELL N. BACONGCO, MPA Local Treasury Operations Officer IV Acting Assistant Provincial Treasurer | <i>[Signature]</i> CHRISTOPHER TTAN PGDH-PDRMO |

PAGE 4 OF 4 PAGE/S



TERMS AND CONDITIONS

1. ALL PRICES QUOTED HEREIN ARE VALID, BINDING AND EFFECTIVE AT LEAST WITHIN (30) CALENDAR DAYS FROM THE DATE OF QUOTATION.

2. AWARDDEE shall be responsible for the source of his supplies/ materials/ equipment shall be delivered in accordance with schedule, quality and specifications of the award and purchase order. Failure by the AWARDDEE to comply with the same shall be ground for cancellation of the award and purchase order issued to the AWARDDEE and for re-awarding item(s) to the ALTERNATIVE AWARDDEE.

3. AWARDDEE shall be pick up order (s) issued in his favor within three (3) days after receipt of notice of that effect. A telephone call or fax transmission shall constitute an official notice to the AWARDDEE. Thereafter, if the purchase order (s) remain unclaimed, the said purchase order (s) shall be sent by messengerial service to the AWARDDEE at the latter's expense. To avoid delay in the delivery of the requesting agency's requirement, all DEFAULTING AWARDDEE shall be precluded fro proposing or submitting substitute sample.

4. Subject to the provisions of the preceding paragraph, where AWARDDEE has accepted a purchase order but fails to deliver the required product(s) within the time called for in the same order, he shall be extended a maximum of fifteen (15) calendar days under liquidated damages to make good his delivery. Thereafter, if the AWARDDEE has not completed delivery within the extended period , the subject purchase order shall be cancelled and award for the undelivered balance withdrawn from that AWARDDEE. The Procurement Service shall then purchase the required item(s) from such other source(s) as it may determine, with the difference price to be charged against the DEFAULTING AWARDDEE. Refusal by the DEFAULTING AWARDDEE to shoulder the price difference shall be ground for disqualification from future bids of the same or all items, without prejudice to the imposition of other sanctions as prescribed under RA9184 and its IRR-A.

5. All deliveries by suppliers shall be subject to inspection and acceptance by the PGO and PGSO and the requisitioner. All necessary laboratory tests undertaken by the Provincial Government of Davao del Sur on the item(s) shall be for the account of the supplier.

6. Rejected deliveries shall be construed as non-delivery of product(s)/item(s) so ordered and shall be liquidated damages, subject to the terms and conditions prescribed under paragraph hereof.

7. Supplier shall guarantee his deliveries to be free from defects. Any defective item(s)/ product(s), therefore that may be discovered by the Inspectorate Team of the Provincial Government within three (3) months after acceptance of the same, shall be replaced by the supplier within seven (7) calendar days upon receipt of a written notice to that effect.

8. A penalty of one percent (0.001) of the total value of the product (s) purchased shall be deducted for each delay in the delivery of the products/ goods ordered.

9. All duties, excise and other taxes and revenue charges, if any, shall be the suppliers account.

10. As pre-condition to payment, IMPORTANT DOCUMENTS specifically showing the condition and serial numbers of the imported equipment purchased should be submitted by the supplier to the <Name of Procuring Entity>

Revenue Regulation No. 10-93.

INSTRUCTIONS TO THE USER:


Provincial Budget Office

CONTROL NO: 2826
DATE: 9-28-23
ALLOTMENT BALANCE: 2,600,000 per VAT (VAT) per
LESS THIS REQUEST: 2,600,000
REMAINING BALANCE: 0

CONTINUING
GENERAL FUND

ed
no extension







PROVINCE OF DAVAO DEL SUR
Office of the Governor

PROCUREMENT MANAGEMENT OFFICE BIDS AND AWARDS COMMITTEE

Mobile Nos. 0905-229-0526/0908-332-2024 (Goods), 0948-768-5848 (Infra)

Website: www.davaodelsur.gov.ph/pgo-bac

Email Add.: bac.davaodelsur2@gmail.com (Goods)

sbacdavaodelsur@gmail.com (Infra)

I Love Davao del Sur

SUPPLEMENTAL BID BULLETIN

ADDENDUM NO. 030-2023

This is in reference to the following IB No. G-196-23 published last October 19, 2023.


Correction of information is made as follows:

| G-196-23 PR No. 1438-CB-23, dated: October 12, 2023 Supply/Delivery of Brand New Medical Ambulance | |
|--|--|
| From | To |
| Installation of Province of Davao del Sur Logo on the Driver's door and Gregorio Matas District Hospital Logo on the front passenger door, font text for sticker decal requirements based on DOH | Installation of Province of Davao del Sur Logo on the Driver's door and front passenger door, font text for sticker decal requirements based on DOH (atleast 36cm) |
| Checklist-Goods Warranty (please see attached file for your reference) <i>Minimum of 3 months in the case of expendable supplies from the date of acceptance of the delivered supplies. Minimum of 1 year in the case of non-expendable supplies from the date of acceptance of the delivered supplies.</i> | Checklist-Goods Warranty (please see attached file for your reference) 3 year warranty or 100,000 KM (whichever comes first) |

Reference is BAC Resolution No. 1696 dated **October 26, 2023**. For guidance and information of all concerned.

DESSAMIE BUAT-SANCHEZ, CPA, J.D.
Provincial Budget Officer
BAC Chairperson

. 2
N



Office of the Governor
PROCUREMENT MANAGEMENT OFFICE
BIDS AND AWARDS COMMITTEE

Mobile Nos. 0905-229-0526/0908-332-2024 (Goods), 0948-768-5848 (Infra)
 Website: www.davaodelsur.gov.ph/pgo-bac
 Email Add.: bac.davaodelsur2@gmail.com (Goods)
 sbacdavaodelsur@gmail.com (Infra)

I Davao Davao del Sur

CHECKLIST-GOODS

IB No.

Opening of Bids:

| | | | |
|--|--------|----------------------------|-----------|
| Name of Project/Brief Description of Goods: | | | |
| PR: | Dated: | ABC | End User: |
| Name of Contractor/Supplier | | | |
| Address | | | |
| Contact No./Email Address | | | |
| ENVELOPE 1 - TECHNICAL COMPONENT ENVELOPE | | | |
| 1. | | Class "A" Documents | |
| Legal Documents | | | |
| (a) Valid PhilGEPS Registration Certificate (Platinum Membership) with its corresponding Annex A | | | |
| Technical Documents | | | |
| (b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started (7 calendar days before the bid opening), if any, whether similar or not similar in nature and complexity to the contract to be bid with supporting documents such as Notice of Award and/or Contract/Job Order | | | |
| (c) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid for the last 3 years, and whose value, adjusted to current prices using the Philippine Statistics Authority (PSA) consumer price indices, must be at least fifty percent (50%) of the ABC. However, in the case of Expendable Supplies, said SLCC must be at least twenty five percent (25%) of the ABC. This statement shall be supported with Contract/Purchase Order and Certificate of Completion/Acceptance or Inspection and Acceptance Report or Official Receipts | | | |
| (d) Original copy of Bid Security in the form of the following: <ul style="list-style-type: none"> <input type="checkbox"/> Cash or Cashier's/Manager's check (2%) <input type="checkbox"/> Bank Guarantee/Draft or Irrevocable Letter of Credit (2%) <input type="checkbox"/> Surety Bond (5%) (submit a certification issued by the Insurance Commission) <input type="checkbox"/> Notarized Bid Securing Declaration | | | |
| (e) Conformity with the following: <ol style="list-style-type: none"> 1. Compliance as to Technical Specifications 2. Production/delivery schedule 3. Manpower requirements 4. After sales service/parts/warranty/return policy <p><i>Minimum of 3 months in the case of expendable supplies from the date of acceptance of the delivered supplies. Minimum of 1 year in the case of non-expendable supplies from the date of acceptance of the delivered supplies.</i></p> | | | |
| (f) Original duly signed Omnibus Sworn Statement (OSS); and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder. | | | |
| Financial Documents | | | |
| (g) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC); <u>or</u> A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation. | | | |
| 2. | | Class "B" Documents | |
| (h) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence; <u>or</u> duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful. | | | |
| Other documentary requirements under RA No. 9184 (as applicable) | | | |
| (i) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product. | | | |
| (j) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity. | | | |
| QUALIFIED | | | |
| DISQUALIFIED | | | |
| ENVELOPE 2 - FINANCIAL COMPONENT ENVELOPE | | | |
| (a) Original of duly signed and accomplished Financial Bid Form; | | | |
| (b) Original of duly signed and accomplished Price Schedule(s). | | | |

L



Office of the Governor
PROCUREMENT MANAGEMENT OFFICE
BIDS AND AWARDS COMMITTEE

Mobile Nos. 0905-229-0526/0908-332-2024(Goods), 0948-768-5848 (Infra)
 Website: www.davaodelsur.gov.ph/pgo-bac
 Email Add.: bac.davaodelsur2@gmail.com (Goods)
 sbacdavaodelsur@gmail.com (Infra)

I Davao Davao del Sur

CHECKLIST-GOODS

IB No.

Opening of Bids:

| | | | |
|--|--------|---------------------|-----------|
| Name of Project/Brief Description of Goods: | | | |
| PR: | Dated: | ABC | End User: |
| Name of Contractor/Supplier | | | |
| Address | | | |
| Contact No./Email Address | | | |
| ENVELOPE 1 - TECHNICAL COMPONENT ENVELOPE | | | |
| 1. | | Class "A" Documents | |
| Legal Documents | | | |
| (a) Valid PhilGEPS Registration Certificate (Platinum Membership) with its corresponding Annex A | | | |
| Technical Documents | | | |
| (b) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started (7 calendar days before the bid opening), if any, whether similar or not similar in nature and complexity to the contract to be bid with supporting documents such as Notice of Award and/or Contract/Job Order | | | |
| (c) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid for the last 3 years, and whose value, adjusted to current prices using the Philippine Statistics Authority (PSA) consumer price indices, must be at least fifty percent (50%) of the ABC. However, in the case of Expendable Supplies, said SLCC must be at least twenty five percent (25%) of the ABC. This statement shall be supported with Contract/Purchase Order and Certificate of Completion/Acceptance or Inspection and Acceptance Report or Official Receipts | | | |
| (d) Original copy of Bid Security in the form of the following: <ul style="list-style-type: none"> <input type="checkbox"/> Cash or Cashier's/Manager's check (2%) <input type="checkbox"/> Bank Guarantee/Draft or Irrevocable Letter of Credit (2%) <input type="checkbox"/> Surety Bond (5%) (submit a certification issued by the Insurance Commission) <input type="checkbox"/> Notarized Bid Securing Declaration | | | |
| (e) Conformity with the following. <ol style="list-style-type: none"> 1. Compliance as to Technical Specifications 2. Production/delivery schedule 3. Manpower requirements 4. After sales service/parts/warranty/return policy <p style="text-align: center;">3 year warranty or 100,000 KM (whichever comes first)</p> | | | |
| (f) Original duly signed Omnibus Sworn Statement (OSS); and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder. | | | |
| Financial Documents | | | |
| (g) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC); <u>or</u> A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation. | | | |
| 2. | | Class "B" Documents | |
| (h) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence; <u>or</u> duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful. | | | |
| Other documentary requirements under RA No. 9184 (as applicable) | | | |
| (i) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product. | | | |
| (j) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity. | | | |
| QUALIFIED | | | |
| DISQUALIFIED | | | |
| ENVELOPE 2 - FINANCIAL COMPONENT ENVELOPE | | | |
| (a) Original of duly signed and accomplished Financial Bid Form; | | | |
| (b) Original of duly signed and accomplished Price Schedule(s). | | | |

2

***Section IV. General
Conditions of
Contract***

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC)**.

2. Advance Payment and Terms of Payment

2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.

2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

[Include the following clauses if Framework Agreement will be used:]

2.3. For a single-year Framework Agreement, prices charged by the Supplier for Goods delivered and/or services performed under a Call-Off shall not vary from the prices quoted by the Supplier in its bid.

2.4. For multi-year Framework Agreement, prices charged by the Supplier for Goods delivered and/or services performed under a Call-Off shall not vary from the prices quoted by the Supplier during conduct of Mini-Competition.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184. *{[Include if Framework Agreement will be used:] In the case of Framework Agreement, the Bidder may opt to furnish the performance security or a Performance Securing Declaration as defined under the Guidelines on the Use of Framework Agreement.}*

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project *{[Include if Framework Agreement will be used:] or Framework Agreement}* specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC, Section IV (Technical Specifications)** shall specify what inspections and/or

tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity

*Section V. Special
Conditions of
Contract*

Special Conditions of Contract

| GCC Clause | |
|------------|--|
| 1 | <p>Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).</p> <p>For purposes of this Clause the Procuring Entity's Representative at the Project Site is PGSO Warehouse.</p> <p>Incidental Services –</p> <p>The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:</p> <p><i>Select appropriate requirements and delete the rest.</i></p> <ul style="list-style-type: none"> a. performance or supervision of on-site assembly and/or start-up of the supplied Goods; b. furnishing of tools required for assembly and/or maintenance of the supplied Goods; c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods; d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and <p><i>Select appropriate requirements and delete the rest.</i></p> <ul style="list-style-type: none"> e. performance or supervision of on-site assembly and/or start-up of the supplied Goods; f. furnishing of tools required for assembly and/or maintenance of the supplied Goods; g. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods; h. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and |
| | <ul style="list-style-type: none"> i. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods. j. <i>[Specify additional incidental service requirements, as needed.]</i> <p>The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.</p> |

L

Spare Parts –

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

Select appropriate requirements and delete the rest.

- a. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- b. in the event of termination of production of the spare parts:
 - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
 - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts and other components required are listed in **Section VI (Schedule of Requirements)** and the cost thereof are included in the contract price.

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of [*indicate here the time period specified. If not used indicate a time period of three times the warranty period*].

Spare parts or components shall be supplied as promptly as possible, but in any case, within [*insert appropriate time period*] months of placing the order.

Packaging –

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity
Name of the Supplier
Contract Description

| | |
|-----|---|
| | <p>Final Destination Gross weight Any special lifting instructions Any special handling instructions Any relevant HAZCHEM classifications</p> |
| | <p>A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.</p> <p>Transportation –</p> <p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.</p> <p>Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.</p> |
| | <p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.</p> <p>The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.</p> <p>Intellectual Property Rights –</p> <p>The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.</p> |
| 2.2 | The terms of payment shall be Credit Basis. |
| 4 | The inspections and tests that will be conducted are: <i>[Indicate the applicable inspections and tests]</i> |

***Section VI. Schedule
of Requirements***

Republic of the Philippines
 PROVINCE OF DAVAO DEL SUR
 Mati, Digos City

PGO - BIDS AND AWARDS COMMITTEE

Schedule of Requirements

The delivery schedule as per IB NO.: G-196-23 (2nd opening)

| Item No. | Item and Description | Qty | Unit | Delivered | |
|----------|--|-----|------|-----------|--------|
| | | | | Weeks | Months |
| | PR# 1438-CB-23 (GMDH) | | | | |
| 1 | Brand New Medical Ambulance | 1 | UNIT | | |
| | Medical Ambulance with the necessary medical equipment and apparatus | | | | |
| | I. TECHNICAL SPECIFICATIONS : | | | | |
| | - Engine displacement not exceeding 2800cc for Diesel (2500-2800cc) | | | | |
| | - Engine Type: 4 cylinders, in-line type, 16 valves, Double Over Head Cam (DOHC) | | | | |
| | - Manual Transmission with at least five (5) speed + one (1) reverse | | | | |
| | -Air conditioned dual type at the drivers cabin and at the patient's compartment with independent controls. | | | | |
| | - Body color: White | | | | |
| | - Patient compartment interior height at least 1600mm and width at least 1500mm | | | | |
| | - Tubeless Tire Width: 195mm, rim size at least 15" | | | | |
| | - Power Window | | | | |
| | - Meets the EURO IV standard | | | | |
| | FOB: PGSO Compound, Mati, Digos City, Davao del Sur | | | | |
| | Model: 2023 Year model or latest with built-in Multimedia Player w/ Complete Categories | | | | |
| | II. Inclusions: | | | | |
| | 1. Comprehensive GSIS insurance | | | | |
| | 2. LTO Registration with TPL (3 years) | | | | |
| | 3. 3 Year WARRANTY OR 100,000 KM (Whichever comes first) | | | | |
| | 4. Service center: Within region XI or General Santos City or Kidapawan City, North Cotabato | | | | |
| | III. SCOPE OF WORKS: | | | | |
| | Supply of labor and materials for the: | | | | |
| | -Installation of Emergency lights: Roof mounted light bar with red and green flashing LED lights. The Length of the light bar must be the same as the width of the vehicle roof. | | | | |
| | -Installation of Red and Green flashing LED lights mounted on the upper part of the rear of the Ambulance | | | | |
| | -Installation of Red and Green LED flashing lights mounted on the front grill of the Ambulance | | | | |
| | - Installation of Electric siren and public address system: Standard ambulance siren tones (horn, manual, wail, yelp, phaser, HiLo/Two tone) and with at least two 100 watts amplifier and siren speakers. With rotary switch and momentary push-button override control. Public Address override with attached microphone and volume control knob | | | | |
| | -Installation of Dashboard Camera: Resolution of at least 1920x1080@30fps, angle of view at least 120 degrees diagonal, at least 2 inch LED display, minimum storage capacity of 64Gb, with loop recording, automatic on/off and night vision recording in low light. The camera must be permanently installed on the dashboard or windshield. | | | | |
| | - Installation of Power source thru inverter from 12v DC to 220v AC minimum of 2,000 watts with at least five (5) convenience outlet universal type must be installed at the different points on the compartment. | | | | |
| | -Installation of Intercom system: Intra-vehicle intercom system must be fitted to serve as voice communication between the driver and personnel in the patient compartment. | | | | |
| | - Scope stretcher holder compartment under riser mounting that weigh not more than 16lbs, carry capacity max of 350 lbs, width 16.9 inches, length 46.8 inches or suppliers standard | | | | |

r

Republic of the Philippines
PROVINCE OF DAVAO DEL SUR
Matti, Digos City

PGO - BIDS AND AWARDS COMMITTEE

Schedule of Requirements

The delivery schedule as per IB NO.: G-196-23 (2nd opening)

| Item No. | Item and Description | Qty | Unit | Delivered | |
|----------|--|-----|------|-----------|--------|
| | | | | Weeks | Months |
| | -Installation of Bench for medical personnel: The ambulance must be fitted with 3-seater bench permanently mounted on the ambulance floor; one on the head side of the patient and one on the right side of the patient compartment. The bench (seat and backrest) must be made of sturdy aluminum frame and panels coated with white color paint or other lightweight, equivalent strength material such as fiberglass reinforced plastics or plastic laminated. The seat and backrest must be fitted with mattress made of polyurethane foam covered with a washable leatherette material. The construction of the bench must be in such a way that the underneath can be used as a compartment. The bench must have a 2 point seatbelt for each person. | | | | |
| | - Fabrication of separate cabinet for oxygen with tank steel base holder | | | | |
| | - Installation of IV Holder (Mounted on the ambulance wall head side of patient) | | | | |
| | -Fabrication of adequate and stable medical cabinet 50" x 12" x 6 feet x 6 with tempered glass and lock and securing strap with holder compartment of spine board with dimensions 72" x 16" x 75", weight 16 lbs, weight capacity 600lbs, float capacity 250lbs. | | | | |
| | - Fabrication of safety non-porous partition between driver and cabin with plastic fiber glass and lock | | | | |
| | - Mounting of overhead grab rail on the ceiling top of the patient stretcher and crew passenger | | | | |
| | - Installation of Reflectorized word "AMBULANCE" on the ambulance front which is spelled out in reverse (Mirror image), the sides of the ambulance shall have the capitalized word "AMBULANCE", font, text, for sticker decal requirements base on DOH. | | | | |
| | - Installation of Province of Davao del Sur Logo on the Driver's door and front passenger door, font text for sticker decal requirements based on DOH (atleast 36cm) | | | | |
| | -Standard tint including interior | | | | |
| | - Installation of controllable interior lighting and medical cabinet lightings | | | | |
| | - Mounting of Full collapsible stretcher and stainless ramp approached | | | | |
| | -Installation of medical stainless steel floor and rubber mattings | | | | |
| | IV: ITEMS INCLUSION/CONSUMABLES | | | | |
| | 1. Ambulance stretcher with mattress, with length at least 180-197cm, width of 48-55cm, loading capacity of at least 175kg, collapsible side rail and durable leg mechanism. | | | | |
| | 2. 1 set Bag Valve mask resuscitator (Adult, child and neonate) | | | | |
| | 3. 1 set Aneroid Sphygmomanometer (Mounted on the ambulance wall on the head side of the patient) | | | | |
| | 4. One (1) Unit Automatic External Defibrillator (AED) with pads, energy output up to 200 Joules, with voice command prompts that gives instruction to the user. | | | | |
| | 5. 1 set nebulizer with nebulizer kits | | | | |
| | 6. 1 set Portable suction machine place in a cart mounted on the head side of the patient | | | | |
| | 7. 1 set Examining light (mounted on the head side of the patient) | | | | |
| | 8. 1 set Folding stretcher with length at least 1900mm, width at least 530mm with loading capacity at least 120kg | | | | |
| | 9. 1 set scoop stretcher with length at least 200cm and width at least 42cm, loading capacity at least 150kg. | | | | |
| | 10. 1 set heavy duty stethoscope (1 pediatric and 1 adult) | | | | |
| | 11. 1 set Non-contact Thermometer | | | | |
| | 12. 1 set Blood Glucose meter with strips (50 lancets and 50 test strips) | | | | |
| | 13. Oxygen cylinder with oxygen therapy set at least 20 pounds capacity to include accessories. | | | | |
| | 14. 1 set laryngoscope (Fiber optic LED light source), curve and straight stainless steel blades for infant, child and adult. | | | | |
| | 15. 1 set Rigid cervical collars (Small, medium, Large) | | | | |
| | 16. 1 set head immobilizer (Adult and child) | | | | |
| | 17. 1 set Lower extremity traction device(adult and child) | | | | |

J

PGO - BIDS AND AWARDS COMMITTEE

Schedule of Requirements

The delivery schedule as per IB NO.: G-196-23 (2nd opening)

| Item No. | Item and Description | Qty | Unit | Delivered | |
|---|--|-----|------|-----------|--------|
| | | | | Weeks | Months |
| 18. | 1 set Upper and lower extremity immobilization device. | | | | |
| 19. | Resistant straps or cravats | | | | |
| 20. | 1 set DELIVERY SET containing the following (1 pc sponge holding forceps, Rampley 9.5", 1 pc. Kidney Dish 10", 1 pc. Bowl 200mm, 1 pc. Umbilical scissors, American, straight 4.5", 1 pc. needle holder mayo Hegar straight 6.5", 1 pc. Episiotomy scissors 14.5cm, 1 pc. Cusco Vaginal Speculum medium, 1 pc. Hartmann Mosquito Artery Forceps straight 120mm, 1 pc. metal catheter, 1 pc. Uterine curette, 1 pc. Treves Dissecting Forceps, Plain, 200mm, 1 pc. Spencerwells Artery Forceps Curve 6", 1 pc. Kocher Artery Forceps, Toothed Straight 6") | | | | |
| 21. | 1 pc. Sharp container (Puncture proof) | | | | |
| 22. | 1 unit heavy duty led flashlight with at least 1000 lumens of brightness with extra batteries or equivalent to rechargeable type flashlight of the same type. | | | | |
| 23. | 1 set Fire extinguisher, 5 pounds with holder mounted on the ambulance floor | | | | |
| 24. | 1 pc. Digital clock mounted on the ambulance wall | | | | |
| 25. | 1 set Air Purifier with multi stage air filters (Pre-filter, HEPA, Carbon) and with UV light. | | | | |
| 26. | 1 pc Garbage container at least 3 liter capacity with lid cover mounted on the ambulance floor | | | | |
| 27. | Communication equipment comprising of Two (2) pieces cellular phones (one for the ambulance and one for the hospital/base). The cellular phones must be at least 4G Network, with Internal Memory of at least 64 GB 4G RAM smartphones. The phones must be provided with sim cards, and battery charger. | | | | |
| 28. | 1 spare tire w/ rim and standard tools: 1 pc Plier, 1 pc Long nose plier, 1 pc adjustable wrench, 1 pc. tire wrench, 1 pc screw driver, (reversible flat and philip screw), 1 set hydraulic Jack, Tonner (heavy duty) | | | | |
| 29. | Standard early warning device | | | | |
| V. OTHER REQUIREMENTS: | | | | | |
| - Supplier should provide three (3) Days Basic Ambulance Operation Course (BAOC) Training with a License Emergency technician | | | | | |
| Delivery period: 60 Calendar days without extension | | | | | |
| * Please see attached sample pictures/design of Provincial Logo and Hospital Logo. | | | | | |
| ***** | | | | | |

*Section VII. Technical
Specifications*

Republic of the Philippines
PROVINCE OF DAVAO DEL SUR
Matti, Digos City

PGO - BIDS AND AWARDS COMMITTEE

Technical Specifications

IAEB NO.:

Date of Opening: November 16, 2023

Quotation: By Item

| Item No. | Item and Description | Brand Name (Mandatory) Maximum of three (3) Brands | Qty | Unit | Statement of Compliance |
|----------|--|--|-----|------|-------------------------|
| | PR# 1438-CB-23(GMDH) | | | | |
| 1 | Brand New Medical Ambulance | | 1 | UNIT | |
| | Medical Ambulance with the necessary medical equipment and apparatus | | | | |
| | I. TECHNICAL SPECIFICATIONS : | | | | |
| | - Engine displacement not exceeding 2800cc for Diesel (2500-2800cc) | | | | |
| | - Engine Type: 4 cylinders, in-line type, 16 valves, Double Over Head Cam (DOHC) | | | | |
| | - Manual Transmission with at least five (5) speed + one (1) reverse | | | | |
| | -Air conditioned dual type at the drivers cabin and at the patient's compartment with independent controls. | | | | |
| | - Body color: White | | | | |
| | - Patient compartment interior height at least 1600mm and width at least 1500mm - Tubeless Tire Width: 195mm, rim size at least 15" - Power Window | | | | |
| | - Meets the EURO IV standard | | | | |
| | FOB: PGSO Compound, Matti, Digos City, Davao del Sur | | | | |
| | Model: 2023 Year model or latest built-in Multimedia Player w/ Complete Categories | | | | |
| | II. Inclusions: | | | | |
| | 1. Comprehensive GSIS insurance | | | | |
| | 2. LTO Registration with TPL (3 years) | | | | |
| | 3. 3 Year WARRANTY OR 100,000 KM (Whichever comes first) | | | | |
| | 4. Service center: Within region XI or General Santos City or Kidapawan City, North Cotabato | | | | |
| | III. SCOPE OF WORKS: | | | | |
| | Supply of labor and materials for the: | | | | |
| | -Installation of Emergency lights: Roof mounted light bar with red and green flashing LED lights. The Length of the light bar must be the same as the width of the vehicle roof. | | | | |
| | -Installation of Red and Green flashing LED lights mounted on the upper part of the rear of the Ambulance | | | | |
| | -Installation of Red and Green LED flashing lights mounted on the front grill of the Ambulance | | | | |
| | - Installation of Electric siren and public address system: Standard ambulance siren tones (horn, manual, wail, yelp, phaser, HiLo/Two tone) and with at least two 100 watts amplifier and siren speakers. With rotary switch and momentary push-button override control. Public Address override with attached microphone and volume control knob | | | | |
| | -Installation of Dashboard Camera: Resolution of at least 1920x1080@30fps, angle of view at least 120 degrees diagonal, at least 2 inch LED display, minimum storage capacity of 64Gb, with loop recording, automatic on/off and night vision recording in low light. The camera must be permanently installed on the dashboard or windshield. | | | | |
| | - Installation of Power source thru inverter from 12v DC to 220v AC minimum of 2,000 watts with at least five (5) convenience outlet universal type must be installed at the different points on the compartment. | | | | |
| | -Installation of Intercom system: Intra-vehicle intercom system must be fitted to serve as voice communication between the driver and personnel in the patient compartment. | | | | |
| | - Scope stretcher holder compartment under riser mounting that weigh not more than 16lbs, carry capacity max of 350 lbs, width 16.9 inches, length 46.8 inches or suppliers standard | | | | |

PGO - BIDS AND AWARDS COMMITTEE

Technical Specifications

IAEB NO.:

Date of Opening: November 16, 2023

Quotation: By Item

| Item No. | Item and Description | Brand Name (Mandatory) Maximum of three (3) Brands | Qty | Unit | Statement of Compliance |
|----------|--|--|-----|------|-------------------------|
| | -Installation of Bench for medical personnel: The ambulance must be fitted with 3-seater bench permanently mounted on the ambulance floor; one on the head side of the patient and one on the right side of the patient compartment. The bench (seat and backrest) must be made of sturdy aluminum frame and panels coated with white color paint or other lightweight, equivalent strength material such as fiberglass reinforced plastics or plastic laminated. The seat and backrest must be fitted with mattress made of polyurethane foam covered with a washable leatherette material. The construction of the bench must be in such a way that the underneath can be used as a compartment. The bench must have a 2 point seatbelt for each person. | | | | |
| | - Fabrication of separate cabinet for oxygen with tank steel base holder | | | | |
| | - Installation of IV Holder (Mounted on the ambulance wall head side of patient) | | | | |
| | -Fabrication of adequate and stable medical cabinet 50" x 12" x 6 feet x 6 with tempered glass and lock and securing strap with holder compartment of spine board with dimensions 72" x 16" x 75", weight 16 lbs, weight capacity 600lbs, float capacity 250lbs. | | | | |
| | - Fabrication of safety non-porous partition between driver and cabin with plastic fiber glass and lock | | | | |
| | - Mounting of overhead grab rail on the ceiling top of the patient stretcher and crew passenger | | | | |
| | - Installation of Reflectorized word "AMBULANCE" on the ambulance front which is spelled out in reverse (Mirror image), the sides of the ambulance shall have the capitalized word "AMBULANCE", font, text, for sticker decal requirements base on DOH. | | | | |
| | - Installation of Province of Davao del Sur Logo on the Driver's door and front passenger door, font text for sticker decal requirements based on DOH (atleast 36cm) | | | | |
| | -Standard tint including interior | | | | |
| | - Installation of controllable interior lighting and medical cabinet lightings | | | | |
| | - Mounting of Full collapsible stretcher and stainless ramp approached | | | | |
| | -Installation of medical stainless steel floor and rubber mattings | | | | |
| | IV: ITEMS INCLUSION/CONSUMABLES | | | | |
| | 1. Ambulance stretcher with mattress, with length at least 180-197cm, width of 48-55cm, loading capacity of at least 175kg, collapsible side rail and durable leg mechanism. | | | | |
| | 2. 1 set Bag Valve mask resuscitator (Adult, child and neonate) | | | | |
| | 3. 1 set Aneroid Sphygmomanometer (Mounted on the ambulance wall on the head side of the patient) | | | | |
| | 4. One (1) Unit Automatic External Defibrillator (AED) with pads, energy output up to 200 Joules, with voice command prompts that gives instruction to the user. | | | | |
| | 5. 1 set nebulizer with nebulizer kits | | | | |
| | 6. 1 set Portable suction machine place in a cart mounted on the head side of the patient | | | | |
| | 7. 1 set Examining light (mounted on the head side of the patient) | | | | |

h

Republic of the Philippines
 PROVINCE OF DAVAO DEL SUR
 Mati, Digos City

PGO - BIDS AND AWARDS COMMITTEE

Technical Specifications

IAEB NO.:

Date of Opening: November 16, 2023

Quotation: By Item

| Item No. | Item and Description | Brand Name (Mandatory) Maximum of three (3) Brands | Qty | Unit | Statement of Compliance |
|----------|--|--|-----|------|-------------------------|
| | 8. 1 set Folding stretcher with length at least 1900mm, width at least 530mm with loading capacity at least 120kg | | | | |
| | 9. 1 set scoop stretcher with length at least 200cm and width at least 42cm, loading capacity at least 150kg. | | | | |
| | 10. 1 set heavy duty stethoscope (1 pediatric and 1 adult) | | | | |
| | 11. 1 set Non-contact Thermometer | | | | |
| | 12. 1 set Blood Glucose meter with strips (50 lancets and 50 test strips) | | | | |
| | 13. Oxygen cylinder with oxygen therapy set at least 20 pounds capacity to include accessories. | | | | |
| | 14. 1 set laryngoscope (Fiber optic LED light source), curve and straight stainless steel blades for infant, child and adult. | | | | |
| | 15. 1 set Rigid cervical collars (Small, medium, Large) | | | | |
| | 16. 1 set head immobilizer (Adult and child) | | | | |
| | 17. 1 set Lower extremity traction device(adult and child) | | | | |
| | 18. 1 set Upper and lower extremity immobilization device. | | | | |
| | 19. Resistant straps or cravats | | | | |
| | 20. 1 set DELIVERY SET containing the following (1 pc sponge holding forceps, Rampley 9.5", 1 pc. Kidney Dish 10", 1 pc. Bowl 200mm, 1 pc. Umbilical scissors, American, straight 4.5", 1 pc. needle holder mayo Hegar straight 6.5", 1 pc. Episiotomy scissors 14.5cm, 1 pc. Cusco Vaginal Speculum medium, 1 pc. Hartmann Mosquito Artery Forceps straight 120mm, 1 pc. metal catheter, 1 pc. Uterine curette, 1 pc. Treves Dissecting Forceps, Plain, 200mm, 1 pc. Spencerwells Artery Forceps Curve 6", 1 pc. Kocher Artery Forceps, Toothed Straight 6") | | | | |
| | 21. 1 pc. Sharp container (Puncture proof) | | | | |
| | 22. 1 unit heavy duty led flashlight with at least 1000 lumens of brightness with extra batteries or equivalent to rechargeable type flashlight of the same type. | | | | |
| | 23. 1 set Fire extinguisher, 5 pounds with holder mounted on the ambulance floor | | | | |
| | 24. 1 pc. Digital clock mounted on the ambulance wall | | | | |
| | 25. 1 set Air Purifier with multi stage air filters (Pre-filter, HEPA, Carbon) and with UV light. | | | | |
| | 26. 1 pc Garbage container at least 3 liter capacity with lid cover mounted on the ambulance floor | | | | |
| | 27. Communication equipment comprising of Two (2) pieces cellular phones (one for the ambulance and one for the hospital/base). The cellular phones must be at least 4G Network, with Internal Memory of at least 64 GB 4G RAM smartphones. The phones must be provided with sim cards, and battery charger. | | | | |
| | 28. 1 spare tire w/ rim and standard tools: 1 pc Plier, 1 pc Long nose plier, 1 pc adjustable wrench, 1 pc. tire wrench, 1 pc screw driver, (reversible flat and philip screw), 1 set hydraulic Jack, Tonner (heavy duty) | | | | |
| | 29. Standard early warning device | | | | |
| | V. OTHER REQUIREMENTS: | | | | |
| | - Supplier should provide three (3) Days Basic Ambulance Operation Course (BAOC) Training with a License Emergency technician | | | | |
| | Delivery period: 60 Calendar days without extension | | | | |
| | * Please see attached sample pictures/design of Provincial Logo and Hospital Logo. | | | | |
| | ***** | | | | |

Section VIII.
Checklist of Technical
and Financial
Documents

Price Schedule for Goods Offered from Within the Philippines

[shall be submitted with the Bid if bidder is offering goods from within the Philippines]

For Goods Offered from Within the Philippines

Name of Bidder _____ Project ID No. _____ Page _____ of _____

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|------|--|-------------------|----------|-------------------------|---|--|--|-------------------------------------|---|
| Item | Description | Country of origin | Quantity | Unit Price EXW per item | Transportation and all other costs incidental to delivery, per item | Sales and other taxes payable if contract is awarded, per item | Cost of Incidental Services, if applicable, per item | Total Price, per unit (col 5+6+7+8) | Total Price delivered Final Destination (col 9) x (col 4) |
| 1 | PR# 1438-CB-23 (GMDH) Brand New Medical Ambulance Medical Ambulance with the necessary medical equipment and apparatus I. TECHNICAL SPECIFICATIONS : - Engine displacement not exceeding 2800cc for Diesel (2500-2800cc) - Engine Type: 4 cylinders, in-line type, 16 valves, Double Over Head Cam (DOHC) - Manual Transmission with at least five (5) speed + one (1) reverse - Air conditioned dual type at the drivers cabin and at the patient's compartment with independent controls. - Body color: White - Patient compartment interior height at least 1600mm and width at least 1500mm - Tubeless tire width: 195mm, rim size at least 15" -power window - Meets the EURO IV standard FOB: PGSO Compound, Mati, Digos City, Davao del Sur Model: 2023 Year model or latest w/ built-in multimedia player w/ complete accessories II. Inclusions: 1. Comprehensive GSIS insurance 2. LTO Registration with TPL (3 years) 3. 3 Year WARRANTY OR 100,000 KM (whichever comes first) 4. Service center: Within region XI or General Santos City or Kidapawan City, North Cotabato III. SCOPE OF WORKS: Supply of labor and materials for the: | | 1 | | | | | | |

2

Price Schedule for Goods Offered from Within the Philippines
[shall be submitted with the Bid if bidder is offering goods from within the Philippines]

For Goods Offered from Within the Philippines

Name of Bidder _____ Project ID No. _____ Page _____ of _____

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|------|--|-------------------|----------|-------------------------|---|--|--|-------------------------------------|--|
| Item | Description | Country of origin | Quantity | Unit Price EXW per item | Transportation and all other costs incidental to delivery, per item | Sales and other taxes payable if contract is awarded, per item | Cost of Incidental Services, if applicable, per item | Total Price, per unit (col 5+6+7+8) | Total Pricedelivered FinalDestination (col 9) x(col 4) |
| | -Installation of Emergency lights: Roof mounted light bar with red and green flashing LED lights. The Length of the light bar must be the same as the width of the vehicle roof. | | | | | | | | |
| | -Installation of Red and Green flashing LED lights mounted on the upper part of the rear of the Ambulance | | | | | | | | |
| | -Installation of Red and Green LED flashing lights mounted on the front grill of the Ambulance | | | | | | | | |
| | - Installation of Electric siren and public address system: Standard ambulance siren tones (horn, manual, wail, yelp, phaser, HiLo/Two tone) and with at least two 100 watts amplifier and siren speakers. With rotary switch and momentary push-button override control. Public Address override with attached microphone and volume control knob | | | | | | | | |
| | -Installation of Dashboard Camera: Resolution of at least 1920x1080@30fps, angle of view at least 120 degrees diagonal, at least 2 inch LED display, minimum storage capacity of 64Gb, with loop recording, automatic on/off and night vision recording in low light. The camera must be permanently installed on the dashboard or windshield. | | | | | | | | |
| | - Installation of Power source thru inverter from 12v DC to 220v AC minimum of 2,000 watts with at least five (5) convenience outlet universal type must be installed at the different points on the compartment. | | | | | | | | |
| | -Installation of Intercom system: Intra-vehicle intercom system must be fitted to serve as voice communication between the driver and personnel in the patient compartment. | | | | | | | | |
| | - Scope stretcher holder compartment under riser mounting that weigh not more than 16lbs, carry capacity max of 350 lbs, width 16.9 inches, length 46.8 inches or suppliers standard | | | | | | | | |

Price Schedule for Goods Offered from Within the Philippines
[shall be submitted with the Bid if bidder is offering goods from within the Philippines]

For Goods Offered from Within the Philippines

Name of Bidder _____ Project ID No. _____ Page _____ of _____

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|------|---|-------------------|----------|-------------------------|---|--|--|-------------------------------------|---|
| Item | Description | Country of origin | Quantity | Unit Price EXW per item | Transportation and all other costs incidental to delivery, per item | Sales and other taxes payable if contract is awarded, per item | Cost of Incidental Services, if applicable, per item | Total Price, per unit (col 5+6+7+8) | Total Price delivered Final Destination (col 9) x (col 4) |
| | -Installation of Bench for medical personnel: The ambulance must be fitted with 3-seater bench permanently mounted on the ambulance floor; one on the head side of the patient and one on the right side of the patient compartment. The bench (seat and backrest) must be made of sturdy aluminum frame and panels coated with white color paint or other lightweight, equivalent strength material such as fiberglass reinforced plastics or plastic laminated. The seat and backrest must be fitted with mattress made of polyurethane foam covered with washable leatherette material. The construction of the bench must be in such a way that the underneath can be used as a compartment. The bench must have a 2 point seat belt for each person. | | | | | | | | |
| | - Fabrication of separate cabinet for oxygen with tank steel base holder | | | | | | | | |
| | - Installation of IV Holder (Mounted on the ambulance wall head side of patient) | | | | | | | | |
| | - Fabrication of adequate and stable medical cabinet 50" x 12" x 6 feet x 6 with tempered glass and lock and securing strap with holder compartment of spine board with dimensions 72" x 16" x 75", weight 16 lbs, weight capacity 600lbs, float capacity 250lbs. | | | | | | | | |
| | - Fabrication of safety non-porous partition between driver and cabin with plastic fiber glass and lock | | | | | | | | |
| | - Mounting of overhead grab rail on the ceiling top of the patient stretcher and crew passenger | | | | | | | | |
| | - Installation of Reflectorized word "AMBULANCE" on the ambulance front which is spelled out in reverse (Mirror image), the sides of the ambulance shall have the capitalized word "AMBULANCE", font, text, for sticker decal requirements base on DOH. | | | | | | | | |

3

Price Schedule for Goods Offered from Within the Philippines

[shall be submitted with the Bid if bidder is offering goods from within the Philippines]

For Goods Offered from Within the Philippines

Name of Bidder _____ Project ID No. _____ Page _____ of _____

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|------|--|-------------------|----------|-------------------------|---|--|--|-------------------------------------|--|
| Item | Description | Country of origin | Quantity | Unit Price EXW per item | Transportation and all other costs incidental to delivery, per item | Sales and other taxes payable if contract is awarded, per item | Cost of Incidental Services, if applicable, per item | Total Price, per unit (col 5+6+7+8) | Total Pricedelivered FinalDestination (col 9) x(col 4) |
| | - Installation of Province of Davao del Sur Logo on the Driver's door and front passenger door, font text for sticker decal requirements based on DOH (atleast 36cm) | | | | | | | | |
| | -Standard tint including interior | | | | | | | | |
| | - Installation of controllable interior lighting and medical cabinet lightings | | | | | | | | |
| | - Mounting of Full collapsible stretcher and stainless ramp approached | | | | | | | | |
| | -Installation of medical stainless steel floor and rubber matings | | | | | | | | |
| | IV: ITEMS INCLUSION/CONSUMABLES | | | | | | | | |
| | 1. Ambulance stretcher with mattress, with length at least 180-197cm, width of 48-55cm, loading capacity of at least 175kg, collapsible side rail and durable leg mechanism. | | | | | | | | |
| | 2. 1 set Bag Valve mask resuscitator (Adult, child and neonate) | | | | | | | | |
| | 3. 1 set Aneroid Sphygmomanometer (Mounted on the ambulance wall on the head side of the patient) | | | | | | | | |
| | 4. One (1) Unit Automatic External Defibrillator (AED) with pads, energy output up to 200 Joules, with voice command prompts that gives instruction to the user. | | | | | | | | |
| | 5. 1 set nebulizer with nebulizer kits | | | | | | | | |
| | 6. 1 set Portable suction machine place in a cart mounted on the head side of the patient | | | | | | | | |
| | 7. 1 set Examining light (mounted on the head side of the patient) | | | | | | | | |
| | 8. 1 set Folding stretcher with length at least 1900mm, width at least 530mm with loading capacity at least 120kg | | | | | | | | |
| | 9. 1 set scoop stretcher with length at least 200cm and width at least 42cm, loading capacity at least 150kg. | | | | | | | | |
| | 10. 1 set heavy duty stethoscope (1 pediatric and 1 adult) | | | | | | | | |

Price Schedule for Goods Offered from Within the Philippines

[shall be submitted with the Bid if bidder is offering goods from within the Philippines]

For Goods Offered from Within the Philippines

Name of Bidder _____ Project ID No. _____ Page _____ of _____

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|------|---|-------------------|----------|-------------------------|---|--|--|-------------------------------------|---|
| Item | Description | Country of origin | Quantity | Unit Price EXW per item | Transportation and all other costs incidental to delivery, per item | Sales and other taxes payable if contract is awarded, per item | Cost of Incidental Services, if applicable, per item | Total Price, per unit (col 5+6+7+8) | Total Pricedelivered FinalDestination (col 9) x (col 4) |
| | 11. 1 set Non-contact Thermometer | | | | | | | | |
| | 12. 1 set Blood Glucose meter with strips (50 lancets and 50 test strips) | | | | | | | | |
| | 13. Oxygen cylinder with oxygen therapy set at least 20 pounds capacity to include accessories. | | | | | | | | |
| | 14. 1 set laryngoscope (Fiber optic LED light source), curve and straight stainless steel blades for infant, child and adult. | | | | | | | | |
| | 15. 1 set Rigid cervical collars (Small, medium, Large) | | | | | | | | |
| | 16. 1 set head immobilizer (Adult and child) | | | | | | | | |
| | 17. 1 set Lower extremity traction device(adult and child) | | | | | | | | |
| | 18. 1 set Upper and lower extremity immobilization device. | | | | | | | | |
| | 19. Resistant straps or cravats | | | | | | | | |
| | 20. 1 set DELIVERY SET containing the following (1 pc sponge holding forceps, Rambley 9.5", 1 pc. Kidney Dish 10", 1 pc. Bowl 200mm, 1 pc. Umbilical scissors, American, straight 4.5", 1 pc. needle holder mayo Hegar straight 6.5", 1 pc. Epistomy scissors 14.5cm, 1 pc. Cusco Vaginal Speculum medium, 1 pc. Hartmann Mosquito Artery Forceps straight 120mm, 1 pc. metal catheter, 1 pc. Uterine curette, 1 pc. Treves Dissecting Forceps, Plain, 200mm, 1 pc. Spencerevells Artery Forceps Curve 6", 1 pc. Kocher Artery Forceps, Toothed Straight 6") | | | | | | | | |
| | 21. 1 pc. Sharp container (Puncture proof) | | | | | | | | |
| | 22. 1 unit heavy duty led flashlight with at least 1000 lumens of brightness with extra batteries or equivalent to rechargeable type flashlight of the same type. | | | | | | | | |
| | 23. 1 set Fire extinguisher, 5 pounds with holder mounted on the ambulance floor | | | | | | | | |
| | 24. 1 pc. Digital clock mounted on the ambulance wall | | | | | | | | |

Price Schedule for Goods Offered from Within the Philippines

[shall be submitted with the Bid if bidder is offering goods from within the Philippines]

For Goods Offered from Within the Philippines

Name of Bidder _____ Project ID No. _____ Page _____ of _____

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|------|--|-------------------|----------|-------------------------|---|--|--|-------------------------------------|---|
| Item | Description | Country of origin | Quantity | Unit Price EXW per item | Transportation and all other costs incidental to delivery, per item | Sales and other taxes payable if contract is awarded, per item | Cost of Incidental Services, if applicable, per item | Total Price, per unit (col 5+6+7+8) | Total Pricedelivered FinalDestination (col 9) x (col 4) |
| | 25. 1 set Air Purifier with multi stage air filters (Pre-filter, HEPA, Carbon) and with UV light. | | | | | | | | |
| | 26. 1 pc Garbage container at least 3 liter capacity with lid cover mounted on the ambulance floor | | | | | | | | |
| | 27. Communication equipment comprising of Two (2) pieces cellular phones (one for the ambulance and one for the hospital/base). The cellular phones must be at least 4G Network, with Internal Memory of at least 64 GB 4G RAM smartphones. The phones must be provided with sim cards, and battery charger. | | | | | | | | |
| | 28. 1 spare tire w/ rim and standard tools: 1 pc Plier, 1 pc Long nose plier, 1 pc adjustable wrench, 1 pc. tire wrench, 1 pc screw driver, (reversible flat and philip screw), 1 set hydraulic jack, Toner (heavy duty) | | | | | | | | |
| | 29. Standard early warning device | | | | | | | | |
| | V. OTHER REQUIREMENTS: | | | | | | | | |
| | - Supplier should provide three (3) Days Basic Ambulance Operation Course (BAOC) Training with a License Emergency technician | | | | | | | | |
| | Delivery period: 60 Calendar days without extension | | | | | | | | |
| | * Please see attached sample pictures/design of Provincial Logo and Hospital Logo. | | | | | | | | |
| | Charges: CAPITAL OUTLAY CONTINUING 2022 MOTOR VEHICLE 1-07-06-010 Purpose: FOR GMDH USE | | | | | | | | |

Name: _____

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Price Schedule for Goods Offered from Abroad
[shall be submitted with the Bid if bidder is offering goods from Abroad]

For Goods Offered from Abroad

Name of Bidder _____ Project ID No. _____ Page _____ of _____

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
|------|--|-------------------|----------|---|--|--|--------------------------------------|--------------------------------------|
| Item | Description | Country of origin | Quantity | Unit price CIF port of entry (specify port) or CIP named place (specify border point or place of destination) | Total CIF or CIP price per item (col. 4 x 5) | Unit Price Delivered Duty Unpaid (DDU) | Unit price Delivered Duty Paid (DDP) | Total Pricedelivered DDP (col 4 x 8) |
| | III. SCOPE OF WORKS: | | | | | | | |
| | Supply of labor and materials for the: | | | | | | | |
| | -Installation of Emergency lights: Roof mounted light bar with red and green flashing LED lights. The Length of the light bar must be the same as the width of the vehicle roof. | | | | | | | |
| | -Installation of Red and Green flashing LED lights mounted on the upper part of the rear of the Ambulance | | | | | | | |
| | -Installation of Red and Green LED flashing lights mounted on the front grill of the Ambulance | | | | | | | |
| | - Installation of Electric siren and public address system: Standard ambulance siren tones (horn, manual, wail, yelp, phaser, HiLo/Two tone) and with at least two 100 watts amplifier and siren speakers. With rotary switch and momentary push-button override control. Public Address override with attached microphone and volume control knob | | | | | | | |
| | -Installation of Dashboard Camera: Resolution of at least 1920x1080@30fps, angle of view at least 120 degrees diagonal, at least 2 inch LED display, minimum storage capacity of 64Gb, with loop recording, automatic on/off and night vision recording in low light. The camera must be permanently installed on the dashboard or windshield. | | | | | | | |
| | - Installation of Power source thru inverter from 12v DC to 220v AC minimum of 2,000 watts with at least five (5) convenience outlet universal type must be installed at the different points on the compartment. | | | | | | | |
| | -Installation of Intercom system: Intra-vehicle intercom system must be fitted to serve as voice communication between the driver and personnel in the patient compartment. | | | | | | | |

Price Schedule for Goods Offered from Abroad
[shall be submitted with the Bid if bidder is offering goods from Abroad]

For Goods Offered from Abroad

Name of Bidder _____ Project ID No. _____ Page _____ of _____

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
|------|--|-------------------|----------|---|--|--|--------------------------------------|--------------------------------------|
| Item | Description | Country of origin | Quantity | Unit price CIF port of entry (specify port) or CIP named place (specify border point or place of destination) | Total CIF or CIP price per item (col. 4 x 5) | Unit Price Delivered Duty Unpaid (DDU) | Unit price Delivered Duty Paid (DDP) | Total Pricedelivered DDP (col 4 x 8) |
| | <ul style="list-style-type: none"> - Scope stretcher holder compartment under riser mounting that weigh not more than 16lbs, carry capacity max of 350 lbs, width 16.9 inches, length 46.8 inches or suppliers standard - Installation of Bench for medical personnel: The ambulance must be fitted with 3-seater bench permanently mounted on the ambulance floor; one on the head side of the patient and one on the right side of the patient compartment. The bench (seat and backrest) must be made of sturdy aluminum frame and panels coated with white color paint or other lightweight, equivalent strength material such as fiberglass reinforced plastics or plastic laminated. The seat and backrest must be fitted with mattress made of polyurethane foam covered with a washable leatherette material. The construction of the bench must be in such a way that the underneath can be used as a compartment. The bench must have a 2 point seatbelt for each person. - Fabrication of separate cabinet for oxygen with tank steel base holder - Installation of IV Holder (Mounted on the ambulance wall head side of patient) - Fabrication of adequate and stable medical cabinet 50" x 12" x 6 feet x 6 with tempered glass and lock and securing strap with holder compartment of spine board with dimensions 72" x 16" x 75", weight 16 lbs, weight capacity 600lbs, float capacity 250lbs. - Fabrication of safety non-porous partition between driver and cabin with plastic fiber glass and lock - Mounting of overhead grab rail on the ceiling top of the patient stretcher and crew passenger | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

2

Price Schedule for Goods Offered from Abroad
[shall be submitted with the Bid if bidder is offering goods from Abroad]

For Goods Offered from Abroad

Name of Bidder _____ Project ID No. _____ Page _____ of _____

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
|------|---|-------------------|----------|---|--|--|--------------------------------------|--------------------------------------|
| Item | Description | Country of origin | Quantity | Unit price CIF port of entry (specify port) or CIP named place (specify border point or place of destination) | Total CIF or CIP price per item (col. 4 x 5) | Unit Price Delivered Duty Unpaid (DDU) | Unit price Delivered Duty Paid (DDP) | Total Pricedelivered DDP (col 4 x 8) |
| | - Installation of ReflectORIZED word "AMBULANCE" on the ambulance front which is spelled out in reverse (Mirror image), the sides of the ambulance shall have the capitalized word "AMBULANCE", font, text, for sticker decal requirements base on DOH. | | | | | | | |
| | - Installation of Province of Davao del Sur Logo on the Driver's door and front passenger door, font text for sticker decal requirements based on DOH (atleast 36cm) | | | | | | | |
| | -Standard tint including interior | | | | | | | |
| | - Installation of controllable interior lighting and medical cabinet lightings | | | | | | | |
| | - Mounting of Full collapsible stretcher and stainless ramp approached | | | | | | | |
| | -Installation of medical stainless steel floor and rubber matings | | | | | | | |
| | IV: ITEMS INCLUSION/CONSUMABLES | | | | | | | |
| | 1. Ambulance stretcher with mattress, with length at least 180-197cm, width of 48-55cm, loading capacity of at least 175kg, collapsible side rail and durable leg mechanism. | | | | | | | |
| | 2. 1 set Bag Valve mask resuscitator (Adult, child and neonate) | | | | | | | |
| | 3. 1 set Aneroid Sphygmomanometer (Mounted on the ambulance wall on the head side of the patient) | | | | | | | |
| | 4. One (1) Unit Automatic External Defibrillator (AED) with pads, energy output up to 200 Joules, with voice command prompts that gives instruction to the user. | | | | | | | |
| | 5. 1 set nebulizer with nebulizer kits | | | | | | | |
| | 6. 1 set Portable suction machine place in a cart mounted on the head side of the patient | | | | | | | |

Price Schedule for Goods Offered from Abroad
[shall be submitted with the Bid if bidder is offering goods from Abroad]

For Goods Offered from Abroad

Name of Bidder _____ Project ID No. _____ Page _____ of _____

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
|------|--|-------------------|----------|---|--|--|--------------------------------------|--------------------------------------|
| Item | Description | Country of origin | Quantity | Unit price CIF port of entry (specify port) or CIP named place (specify border point or place of destination) | Total CIF or CIP price per item (col. 4 x 5) | Unit Price Delivered Duty Unpaid (DDU) | Unit price Delivered Duty Paid (DDP) | Total Pricedelivered DDP (col 4 x 8) |
| | 7. 1 set Examining light (mounted on the head side of the patient) | | | | | | | |
| | 8. 1 set Folding stretcher with length at least 1900mm, width at least 530mm with loading capacity at least 120kg | | | | | | | |
| | 9. 1 set scoop stretcher with length at least 200cm and width at least 42cm, loading capacity at least 150kg. | | | | | | | |
| | 10. 1 set heavy duty stethoscope (1 pediatric and 1 adult) | | | | | | | |
| | 11. 1 set Non-contact Thermometer | | | | | | | |
| | 12. 1 set Blood Glucose meter with strips (50 lancets and 50 test strips) | | | | | | | |
| | 13. Oxygen cylinder with oxygen therapy set at least 20 pounds capacity to include accessories. | | | | | | | |
| | 14. 1 set laryngoscope (Fiber optic LED light source), curve and straight stainless steel blades for infant, child and adult. | | | | | | | |
| | 15. 1 set Rigid cervical collars (Small, medium, Large) | | | | | | | |
| | 16. 1 set head immobilizer (Adult and child) | | | | | | | |
| | 17. 1 set Lower extremity traction device(adult and child) | | | | | | | |
| | 18. 1 set Upper and lower extremity immobilization device. | | | | | | | |
| | 19. Resistant straps or cravats | | | | | | | |
| | 20. 1 set DELIVERY SET containing the following (1 pc sponge holding forceps, Rambley 9.5", 1 pc. Kidney Dish 10", 1 pc. Bowl 200mm, 1 pc. Umbilical scissors, American, straight 4.5", 1 pc. needle holder mayo Hegar straight 6.5", 1 pc. Episiotomy scissors 14.5cm, 1 pc. Cusco Vaginal Speculum medium, 1 pc. Hartmann Mosquito Artery Forceps straight 120mm, 1 pc. metal catheter, 1 pc. Uterine curette, 1 pc. Treves Dissecting Forceps, Plain, 200mm, 1 pc. Spencervells Artery Forceps Curve 6", 1 pc. Kocher Artery Forceps, Toothed Straight 6") | | | | | | | |

2

Price Schedule for Goods Offered from Abroad
[shall be submitted with the Bid if bidder is offering goods from Abroad]

For Goods Offered from Abroad

Name of Bidder _____ Project ID No. _____ Page _____ of _____

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
|------|--|-------------------|----------|---|--|--|--------------------------------------|--------------------------------------|
| Item | Description | Country of origin | Quantity | Unit price CIF port of entry (specify port) or CIP/Named place (specify border point or place of destination) | Total CIF or CIP price per item (col. 4 x 5) | Unit Price Delivered Duty Unpaid (DDU) | Unit price Delivered Duty Paid (DDP) | Total Pricedelivered DDP (col 4 x 8) |
| | 21. 1 pc. Sharp container (Puncture proof) | | | | | | | |
| | 22. 1 unit heavy duty led flashlight with at least 1000 lumens of brightness with extra batteries or equivalent to rechargeable type flashlight of the same type. | | | | | | | |
| | 23. 1 set Fire extinguisher, 5 pounds with holder mounted on the ambulance floor | | | | | | | |
| | 24. 1 pc. Digital clock mounted on the ambulance wall | | | | | | | |
| | 25. 1 set Air Purifier with multi stage air filters (Pre-filter, HEPA, Carbon) and with UV light. | | | | | | | |
| | 26. 1 pc Garbage container at least 3 liter capacity with lid cover mounted on the ambulance floor | | | | | | | |
| | 27. Communication equipment comprising of Two (2) pieces cellular phones (one for the ambulance and one for the hospital/base). The cellular phones must be at least 4G Network, with Internal Memory of at least 64 GB 4G RAM smartphones. The phones must be provided with sim cards, and battery charger. | | | | | | | |
| | 28. 1 spare tire w/ rim and standard tools: 1 pc Plier, 1 pc Long nose plier, 1 pc adjustable wrench, 1 pc. tire wrench, 1 pc screw driver, (reversible flat and philip screw), 1 set hydraulic Jack, Toner (heavy duty) | | | | | | | |
| | 29. Standard early warning device | | | | | | | |
| | V. OTHER REQUIREMENTS: | | | | | | | |
| | - Supplier should provide three (3) Days Basic Ambulance Operation Course (BAOC) Training with a License Emergency technician | | | | | | | |
| | Delivery period: 60 Calendar days without extension | | | | | | | |
| | * Please see attached sample pictures/design of Provincial Logo and Hospital Logo. | | | | | | | |

